



x Carefree x



FREE PATTERN





x Carefree x




PILLOW DESIGNED BY AGFstudio

FABRICS DESIGNED BY SEW CAROLINE

WARM LANE



HCF-59300
BLOOM MONTAGE LIGHT




HCF-59301
ACROSS SPARKS BLACK



HCF-59302
TUNES SHINE



HCF-59303
BLOCK STENCILS BURST



HCF-59304
COROLLAS ASHEN




HCF-59305
STREET ART SUN




HCF-59306
HAPPY CHEER



HCF-59307
IMPROV STROKES CITRUS



HCF-59308
SPRAYED DOODLES CORAL



HCF-59309
TRIPIXELS SOFT

COOL STREET



HCF-69300
BLOOM MONTAGE INTENSE




HCF-69301
ACROSS SPARKS BLUE



HCF-69302
TUNES GLIMMER



HCF-69303
BLOCK STENCILS POP



HCF-69304
COROLLAS TANGERINE




HCF-69305
STREET ART MOON




HCF-69306
HAPPY WHISPER



HCF-69307
IMPROV STROKES BERRY



HCF-69308
SPRAYED DOODLES NOIR



HCF-69309
TRIPIXELS LOUD



DEN-S-2004
INFUSED HYDRANGEA



PE-408
WHITE LINEN



PE-405
CHERRY LIPGLOSS



PE-420
CRYSTAL PINK



PE-438
CORAL REEF



PE-450
GRAPEFRUIT



PE-426
APRICOT CREPE



PE-444
PEACH SHERBET



FINISHED SIZE | 16" x 16"

FABRIC REQUIREMENTS

Fabric A	HCF-59301	1 FAT 8.
Fabric B	DEN-S-2004	1 FAT 8.
Fabric C	PE-408	1 FQ.
Fabric D	PE-405	1 FAT 8.
Fabric E	PE-420	1 FAT 8.
Fabric F	PE-438	1 FAT 8.
Fabric G	PE-450	1 FAT 8.
Fabric H	PE-426	1 FAT 8.
Fabric I	PE-444	1 FAT 8.
BACKING FABRIC		
PE-405 - 1/2 yd.		

CUTTING DIRECTIONS

1/4" seam allowances are included.
WOF means width of fabric.

1 1/2" x 3" strips

- Twenty (22) from Fabric C
- Six (6) from Fabric D
- Four (4) from Fabric E, F, H, and I
- Two (2) from Fabric G

1 1/2" x 5" strips

- Twenty (22) from Fabric C
- Six (6) from Fabric D
- Four (4) from Fabric E, F, H, and I
- Two (2) from Fabric G

3" Squares

- Twelve (12) from Fabric A
- Eleven from fabric B

CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

- Sew a 1 1/2" x 3" strip to the top and bottom of a 3" square. (Diagram 1)
- Then sew a 1 1/2" strip to the sides of your piece. (Diagram 2)
- Cut piece in half on the diagonal to make your triangles. (Diagram 3)
- Sew triangles together into rows following pillow illustration.
- Sew triangles together into rows following pillow illustration.
- Square off your pillow to a 17" square. Quilt as desired! (Diagram 5)



DIAGRAM 1




DIAGRAM 2




DIAGRAM 3




DIAGRAM 4



Square off to a 17" square

DIAGRAM 5

Creating the Back Pillow

- To make an envelope back for your pillow take both 11" x 17" rectangles and fold one 17" side on each rectangle in 1/2" and press and then fold another 1/2" and press.
- Topstitch as close to the edge as possible.
- Place rectangles right side together on top of each other to the front of your pillow and stitch all the way around your pillow at 1/2" seam allowance.
- Clip corners at seam allowance and flip piece to the right side of the fabric.
- Fill pillow with a 16" x 16" pillow form and enjoy!



Pillow Illustration



XX

*Congratulations
& enjoy*

XX



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.