

Hexie Romance

PILLOW COVER

FINISHED SIZE | 14" x 14"

FABRIC REQUIREMENTS

Fabric **A** CAP-VC-5004 ½ yd.
 Fabric **B** CAP-VC-5003 ¼ yd.
 Fabric **C** NE-111 ¼ yd.

BACKING FABRIC

Fabric **A** CAP-VC-5004 (Included)

CUTTING DIRECTIONS

¼" seam allowances are included.
 WOF means width of fabric.

- Two (2) 15½" x 10½" rectangles from fabric **A**.
- Seven (7) Hexie Pattern from fabric **A**.
- Eight (8) Hexie Pattern from fabric **B**.
- Ten (10) Hexie Pattern from fabric **C**.

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

- Sew your hexagons into columns. Starting and stopping ¼" on each end. It's very important you don't sew all the way to the end! Backstitch at the start and the end.




DIAGRAM 1

- Sew hexagons into columns. Press seams open.
- Column 1: **B-A-C-B**
- Column 2: **C-C-A-A-A**
- Column 3: **B-A-C-A**
- Column 4: **C-B-B-C-C**
- Column 5: **B-A-C-A**




DIAGRAM 2

- Start sewing your columns together by laying your first two columns right sides together lining up your first two hexagons.
- Meet the raw edges and sew ¼" in and stop ¼" before the end of your hexagon edge.




DIAGRAM 3

