




{ FEATURING MEADOW COLLECTION }




FREE PROJECT SHEET

DESIGNED BY *leah duncan*



QUILT DESIGNED BY *leah duncan*



# SUNRISE

FINISHED SIZE: 60" X 86"


To download the instructions  
for this pattern visit

[artgalleryfabrics.com](http://artgalleryfabrics.com)



## KIT QUANTITY

MW-70024	1 1/4 yd.
MW-80024	3/8 yd.
MW-80027	1/2 yd.
MW-70026	1 yd.
MW-80025	1/2 yd.
MW-80021	5/8 yd.
MW-70023	3/8 yd.
MW-70020	1/2 yd.
PE-408	1 1/4 yd.
PE-426	1/4 yd.
Backing	5 yd.



MEADOW  
by leah duncan

PICNIC BY THE RIVER



MW-70020  
Summer Grove by Day



MW-70021  
Gentle Breeze Red



MW-70022  
Plentiful Earth Saffron



MW-70023  
Lea's Bloom Clearwater



MW-70024  
Sprinkled Morning



MW-70025  
Florascape Moonstone



MW-70026  
Valley of Azure



MW-70027  
Freshly Cut Hyacinths



MW-70028  
Savanna Glow Golden



MW-70029  
Geos Deep Marina


PICNIC BY THE HILLS



MW-80020  
Summer Grove by Night



MW-80021  
Gentle Breeze Beige



MW-80022  
Plentiful Earth Citrine



MW-80023  
Lea's Bloom Blush



MW-80024  
Sprinkled Noon



MW-80025  
Florascape Marigold



MW-80026  
Valley of Evergreen



MW-80027  
Freshly Cut Lilies



MW-80028  
Savanna Glow Mint



MW-80029  
Geos Bright Mandarin





# SUNRISE

FINISHED SIZE: 60" X 86"

To download the instructions  
for this pattern visit

[artgalleryfabrics.com](http://artgalleryfabrics.com)

## FABRIC REQUIREMENTS

Fabric **A** MW-700241 1/4 yd.  
Fabric **B** MW-80024 3/8 yd.  
Fabric **C** MW-80027 1/2 yd.  
Fabric **D** MW-70026 1 yd.  
Fabric **E** MW-80025 1/2 yd.  
Fabric **F** MW-80021 5/8 yd.  
Fabric **G** MW-70023 3/8 yd.  
Fabric **H** MW-70020 1/2 yd.  
Fabric **I** PE-408 1 1/4 yd.  
Fabric **J** PE-426 1/4 yd.

### Backing Fabric

5 yds. PE-408 (suggested)

### Binding Fabric

MW-70024 (Fabric **A**) (included)



## CUTTING DIRECTIONS

*1/4" seam allowances are included.*

Six (6) 2 1/2" x WOF strips from fabric **A**  
Six (6) 2 1/2" x 22" strips from fabric **A**  
Two (2) 2 1/2" x WOF strips from fabric **B**  
Two (2) 2 1/2" x 22" strips from fabric **B**  
Two (2) 2 1/2" x WOF strips from fabric **C**  
Four (4) 2 1/2" x 22" strips from fabric **C**  
Six (6) 2 1/2" x WOF strips from fabric **D**  
Six (6) 2 1/2" x 22" strips from fabric **D**  
Four (4) 2 1/2" x WOF strips from fabric **E**  
Four (4) 2 1/2" x 16" strips from fabric **E**  
Four (4) 2 1/2" x WOF strips from fabric **F**  
Four (4) 2 1/2" x 22" strips from fabric **F**  
Two (2) 2 1/2" x WOF strips from fabric **G**  
Two (2) 2 1/2" x 22" strips from fabric **G**  
Four (4) 2 1/2" x WOF strips from fabric **H**  
Two (2) 2 1/2" x 16" strips from fabric **H**  
Eleven (11) 2 1/2" x WOF strips from fabric **I**  
Six (6) 2 1/2" x 16" strips from fabric **I**  
Eighteen (18) 3" squares from fabric **I**  
Four (4) 2 1/2" x 4 1/2" strips from fabric **I**  
Eighteen (18) 3" squares from fabric **J**

## FOR BORDERS CUT

*Top & Bottom Borders*


Eigh (8) 2 1/2" x WOF" strips from fabric **I**



## HALF-SQUARE TRIANGLES CONSTRUCTION

- First take a square from fabric **J** and lay it on top of a square from fabric **I** facing right sides.
- Draw a line down the center diagonally corner to corner as shown below.
- Using that line as a guide and your  $\frac{1}{4}$  patchwork foot sew a quarter inch away from the line all the way down on both sides.
- When finished cut down the marked line. Press open.
- Trim down using the seam and a 45 degree marking on your cutting ruler, so that the square is 2.5".
- Repeat the previously steps with all the squares from fabrics **I** & **J**.

(DIAGRAM 1)



- Attach five of the HST together in the order shown below (DIAGRAM 2)
- Take a 22" strip from fabric **I** and piece it together to the strip made with the HST.
- Add one of the 4 1/2" strip of fabric **I** to the end with the white strip.
- Repeat the same steps with four of the 22" strips from fabric **I**, the 4 1/2" strips from fabric **I** and the remaining HST strips.

(DIAGRAM 2)



- For the center strip which have HST on either end start by piecing the strip just as you have for the others.
- Once you have one side of the strip complete measure starting from the HST edge so your strip is 46.5".
- Piece the remaining side in the same manner you just did until you have both sides of your HST sections complete.

(DIAGRAM 3)



## STRIPS CONSTRUCTION

There are two different style of strips for the construction of this quilt.

- For the Style **A** strip take one WOF strip and one 22" strip and layer them.
- Sew them together as shown below (DIAGRAM 4)
- Trim  $\frac{1}{4}$ " away from the seam and press open.
- Trim the strip down starting your measuring from the 22" side so your total strip is 56"

(DIAGRAM 4)



- For the Style **B** strip take one WOF strip and one 16" strip and layer them.
- Sew them together as shown below (DIAGRAM 5)
- Trim  $\frac{1}{4}$ " away from the seam and press open.
- Trim the strip down starting your measuring from the 24" side so your total strip is 56"


(DIAGRAM 5)





*Sew all rights sides together with 1/4" seam allowance. Press open.*

- (DIAGRAM 6)



- For the two long sides of the quilt take four of the remaining 2.5" x WOF strips and sew them together in pairs so you have two 84 x 2.5" strips.
- Sew your strips to the long sides of your quilt and press seam open or to one side as you prefer.
- For the two short sides take three strips 2.5" x WOF and cut one of the strips in half so you have two 21" long pieces.
- Sew a 21" long piece to each WOF long piece so you end up with two strips 63" x 2.5". Sew those strips to the short sides of the quilt and press the seam as desired.

*Sew right sides together.*


- Place **BACKING FABRIC** on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place **BATTING** on top of backing fabric.
- Place **TOP** on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motives are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

*Sew right sides together.*

- Cut enough strips 1½" wide by the width of the fabric **C** to make a final strip 280" long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with ¼" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.



- Stop stitching  $\frac{1}{4}$ " before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of  $45^\circ$  and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at  $\frac{1}{4}$ " of the border, stitching all the layers. Do the same in the four corners of the quilt.
- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to  $\frac{1}{4}$ " and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



*Feel the difference*  
For more free patterns visit:

[artgalleryfabrics.com](http://artgalleryfabrics.com)

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2014 Courtesy of Art Gallery Quilts LLC.  
All Rights Reserved.

