### artgalleryfabrics.com IN THE CITY



Featuring

# GRAMERC

CROSS BODY BAG

Collection by Leah Duncan



### FABRIC REQUIREMENTS

Fabric <b>B</b> Fabric <b>C</b>	GRA- 3509 PE-407 PE-442	1/2 yd. 1/2 yd. 3/4 yd.
Fabric <b>D</b>	PE-449	1/4 yd.

## CUTTING DIRECTIONS 🌭



#### Body of Bag

- One (1) 14 1/2" x 17" rectangle from Fabric A
- One (1) 14 1/2" x 17" rectangle from Fabric C
- Two (2) 14 1/2" x 17" rectangles from Fabric B (lining)
- One (2) 14 1/2" x 17" rectangle from medium weight fusible

#### Sides of Bag

- Two (2) 3 3/4" x 17" rectangles from Fabric C
- Two (2) 3 3/4" x 17" rectangles from Fabric B
- Two (2) 3 3/4" x 17" rectangle from medium weight fusible

#### Bottom of Bag

- One (1) 3 3/4" x 14 1/2" rectangle from Fabric B
- One (1) 3 3/4" x 14 1/2" rectangle from Fabric C
- One (1) 3 3/4" x 14 1/2" rectangle from medium weight fusible

#### Straps

- Two (2) 3 1/2" x WOF strips from Fabric C
- One (1) 3 1/2" x WOF strips from medium weight fusible

#### Flap

- Two (2) flap pattern pieces from Fabric D
- One (1) flap pattern piece from medium weight fusible










PE-407

Empire Yellow


#### BAG CONSTRUCTION

- Iron two (2) 14 1/2" x 17" fusible to the back sides of the 14 1/2" x 17" rectangles from Fabric
  B.
- Iron two (2) 3 3/4" x 17" fusible to back sides of the 14 1/2" x 17" rectangles from Fabric B.
- Iron one (1) 3 3/4" x 14 1/2" fusible to back sides of the 3 3/4" x 14 1/2" rectangle from Fabric B.
- Iron one (1) 3 1/2" x WOF strip of fusible to one of the back sides of 3 1/2" x WOF strip from Fabric C.
- Sew 14 1/2" x 17" rectangle from Fabric A to 3 3/4" x 17" rectangle from fabric C together with right side together.
- Sew 14 1/2" x 17" rectangle from Fabric C to 3 3/4" x 17 rectangle from fabric C. Repeat same process with lining pieces.




- You will have four pieces that look diagram 2a and 2b, sew the exterior of the bag right sides together.
- Repeat with the lining pieces.





Exterior of bag


DIAGRAM 2a



Lining of bag

DIAGRAM 2b

- Pin 3 3/4" x 14 1/2" rectangle from fabric C to the bottom of Diagram 3a. Sew the rectangle piece to the bottom of the bag.
- Pin 3 3/4" x 14 1/2" rectangle from fabric B to the bottom of Diagram 3b. Sew all the way around leaving a 4" portion unsewn.




- Sew one 3 1/2" x WOF from fabric C to the other 3 1/2" x WOF strip from fabric C, right sides together.
- Use a safety pin to pull right side of fabric out.
- Topstitch strap as close to the side seams as possible on each side of the strap.



DIAGRAM 4b

Sew both of the flap pieces right sides together.
 Turn right side out and topstitch.



- Sew flap to one side of the lining on the RIGHT SIDE of the fabric. DIAGRAM 6a
- Next sew the strap to each side seam of the lining. DIAGRAM 6b
- Make sure the strap and flap is facing down.
- Turn lining inside out.
- Place the exterior of the bag inside the lining with right sides facing each other. DIAGRAM 6c
- Sew all the way around. DIAGRAM 6d





DIAGRAM 60






DIAGRAM 6c




DIAGRAM 6d

- Pull exterior of bag out through the unsewn portion of the lining.
- Hand stitch unsewn portion with a blind stitch.
- Topstitch around the top opening of the bag all the way around.







enjoy!



Feel the difference

For more free patterns visit:


#### artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2014 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

# Flap Template

Cut and tape together at notches



# Flap Template

Cut and tape together at notches

