#### \**\**\*\**\**\*\*\*\*\*\*\*\*\*\*\*\*

# TRAIL AND TRAVELS AGES studio

FINISHED SIZE 16'-48'

TABLE RUNNER DESIGNED BY AGF Studio



## FABRIC REQUIREMENTS

BACKING FABRIC

WAN-13306 - 3/4 yd. (suggested)

BINDING FABRIC

WAN-13301- Fabric A- (included)

# WANDERER

FABRICS DESIGNED BY APRIL RHODES



WAN-13301 SACRED SEEDS BRITTLE



WAN-23301 SACRED SEEDS TIGERLILY



WAN-13305 UST OF LEAVES SILVER



WAN-13306 DREAMCATHCING CELESTE



WAN-23306 DREAMCATHCING FLARE



WAN-13307 SACRED SEEDS MOJAV



WAN-23303 PAINTED PONY APPALOOSA



### CUTTING DIRECTIONS

1/4" seam allowances are included.

- Forty Eight (48) 3" x 3" squares from Fabric A
- Forty Eight (48) 3" x 3" squares from Fabric B
- Sixteen (16) 1 1/2" x 4 1/2" strips from Fabric C
- Thirty Two (32) 1" x 4 1/2" strips from Fabric D
- Sixteen (16) 2 7/8" x 4 7/8" rectangles from Fabric E
- Sixteen (16) 2 7/8" x 4 7/8" rectangles from Fabric F


#### ASSEMBLING THE TOP

- Sew all rights sides together with \(^1/4\)" seam allowance. Press open.
  - To create two half square triangle with Fabric A and Fabric B, take a 3" x 3" square from both fabrics. (DIAGRAM 1)




DIAGRAM 1

- Place on top with right sides together! Draw a diagonal line from one corner to the other.
- Sew on each side of the line you drew at 1 /4". (DIAGRAM 2)





• Cut on your diagonal line. Press seams open (DIAGRAM 3)



 Square off half square triangles to equal 2 1/2" x 2 1/2" (Diagram 4)




DIAGRAM 4

- You will need a total of 96 half square triangles from Fabric A and B.
- Once you have all 96 half square triangles from Fabric A and B, arrange 24 blocks following Diagram 5.1 and sew to create a block that looks like Diagram 5.2.
- Repeat this process three more times. You will need a total of 4 blocks that look like Diagram 5.3. Sew the four blocks together following the illustration as a guide.




DIAGRAM 5.1




DIAGRAM 5.2





DIAGRAM 5.3

- Take eight (8) 2 7/8" x 4 7/8" rectangles from Fabric E and F. Place one rectangle from Fabric E on top of one rectangle from Fabric F. Right sides of both fabrics faceing up.
- Cut diagonally starting from the bottom left corner to the top right corner. Follow Diagram 6.2
- Repeat this step cutting digonally eight times to the right and then 8 times to the left with the remaining pieces.



 ${\rm DIAGRAM}~6.1$ 




DIAGRAM 6.2

 Sew your half rectangle triangles together to following Digram 7.1. You will need fourteen blocks that look like Diagram 7.2. The remaining half rectangle squares will be sewn at the ends on your table runner.






DIAGRAM 7.1






Create 14 Blocks

DIAGRAM 7.2

 Take two 1' x 4 1/2' strips from Fabric D and one 1 1/2' x 4 1/2' strip from Fabric C. Sew together following Diagram 8.1. You will need a total of sixteen pieces that look like Diagram 8.2.



 Now create two strips with the pieces that you created that looks like Diagram 9.



DIAGRAM 9

 Next take the middle portion of your table runner that you created in Diagram 5.1- 5.3. Sew both strips you made in Diagram 9 to each side of this piece. Follow Diagram 10.




DIAGRAM 10





Tabke Runner Illustration

### QUILT ASSEMBLY

Sew rights sides together.


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motives are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.



#### BINDING

Sew rights sides together.

- Cut enough strips 1½' wide by the width of the Fabric A to make a final strip 138' long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5' tail. Sew with ¼' seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching ½' before the edge of the quilt (DI-AGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at ½' of the border, stitching all the layers. Do the same in the four corners of the quilt.
- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to ¼' and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



# Congratulations & enjoy

×/x*\**x ×/x/x ×/x/x/x ×/x/x/x ×/x/x/x ×/x/x/x ×/x/x/x ×/x/x/x



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2015 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.