




FREE PATTERN



FABRICS DESIGNED BY KATARINA ROCCELLA







PND-10125



PND-10121 ZHU NECTAR



PND-10126 HIDDEN PANDA COTTONBUD GANSU VILLAGE CLOUDWHITE






PND-10127 PANDA SAYS YUM



PND-10123




PND-10129 PANDA PATCHES CONTRAST



PND-10124



PND-10130 PANDAGARDEN RECESS



PND-20120



PND-20124 HIDDEN PANDA LEAF



PND-20121



PND-20126



PND-20122



PND-20128 GANSU VILLAGE MINTGLOW PANDALINGS POD SHADOW



PND-20123 NI HAO FAIRIES HU



PND-20129 PANDA PATCHES BLUE



PND-20124



PND-20130 PANDAGARDEN NAPTIME





FABRIC REQUIREMENTS

Fabric A	PND-20125	1⁄4 yd.
Fabric <mark>B</mark>	PND-10121	1⁄4 yd.
Fabric <mark>C</mark>	PND-10124	1⁄8 yd.
Fabric D	PND-20121	1⁄4 yd.
Fabric <mark>E</mark>	PND-20120	¹∕₃ yd.
Fabric F	PND-20129	3⁄4 yd.
Fabric <mark>G</mark>	PND-20124	1⁄4 yd.
Fabric H	PND-10123	1⁄4 yd.
Fabric I	PND-20123	1⁄4 yd.
Fabric J	PND-10127	1⁄4 yd.
Fabric <mark>K</mark>	PE-433	41⁄8 yd.

BACKING FABRIC

PND-10130 51% yds. (Suggested)

BINDING FABRIC PND-20129 (Fabric F) (included)

CUTTING DIRECTIONS

¹/₄" seam allowances are included. WOF means width of fabric.

One (1) 18' x 4¹/₂' rectangle from fabrics **A**, **E**, **G** One (1) 18' x 7¹/₂' rectangle from fabric **B** One (1) 18' x 5¹/₂' rectangle from fabric **C** One (1) 18' x 3¹/₂' rectangle from fabrics **D**, **F** One (1) 26' x 5¹/₂' rectangle from fabrics **D**, **F** One (1) 26' x 4¹/₂' rectangle from fabrics **E**, **F** One (1) 21' x 6¹/₂' rectangle from fabrics **G**, **J** One (1) 21' x 5¹/₂' rectangle from fabric **H** One (1) 21' x 6' rectangle from fabric **I** One (1) 18' x 6' rectangle from fabric J

Fourteen (14) 2' x WOF strips from fabric ${\bf K}$

Twenty-nine (29) 2½ x WOF strips from fabric K

Two (2) 4' x WOF strips from fabric K

Two (2) $5\frac{1}{2}$ x WOF strips from fabric K


Two (2) $3\frac{1}{2}$ x WOF strips from fabric K

CONSTRUCTION

Sew all rights sides together with ¹/₄" seam allowance.

Making Strip Sets

You will need to cut and piece the rectangles together into 4 different strip sets. Sew on the long vertical, then press and cut them into horizontal row strips 2½' wide. (Diagram 1)



Strip Set A-B-C

• Sew:

18' x 4½" rectangle of fabric ${\rm A}$ >

18" x 1" rectangle of fabric ${\rm K}$ >

18' x 7½" rectangle of fabric ${\rm B}$ >

18' x 1" rectangle of fabric <mark>K</mark> >

18' x 3½" rectangle of fabric $\hbox{\bf C}$

• Press and cut the strip set into 6 strips, each 2½" wide.

strip set A-B-C strip set A-B-C		strip set A-B-C	
A	в	c	

Strip Set D-E-F

• Sew:

26' x 5.5' rectangle of fabric D >26' x 1' rectangle of fabric K >26 x 4.5' rectangle of fabric E >26' x 1' rectangle of fabric K >26' x 5.5' rectangle of fabric F





Strip Set D-E-F

• Press and cut the strip set into 9 strips, each 2½" iwide.

Strip Set G-H-I-J

• Sew:

21' x 4¹/₂' rectangle of fabric **G** > 21' x 1' rectangle of fabric **K** > 21' x 5¹/₂' rectangle of fabric **H** > 21' x 1' rectangle of fabric **K** > 21' x 6' rectangle of fabric **I** > 21' x 1' rectangle of fabric **K** >

- 21" x 4½" rectangle of fabric J
- Press and cut the strip set into 7 strips, each 2½" wide.

strip set G-H-I-J			strip set G-H-I-J			
в			в		inter-	

Strip Set B-E-J-G

• Sew:

- 18' x 5½' rectangle of fabric **B** > 18' x 1" rectangle of fabric **K** > 18' x 4½' rectangle of fabric **E** > 18' x 1" rectangle of fabric **K** > 18' x 6" rectangle of fabric **J** > 18' x 1" rectangle of fabric **K** > 18' x 4½' rectangle of fabric **G**.
- Press and cut the strip set into 6 strips, each 2½" wide.

strip set B-E-J-G


strip set B-E-J-G

Half Rectangle Triangles (HRT)

• Cross-cut your 3½' x WOF strips from fabric K every 6½'. Cut 8 rectangles.

Important: For HRTs cut fabric right sides up.

- Cut all 4 (3½' x 6½') rectangles of fabric F on the diagonal as shown, from upper left corner to right bottom corner. Cut 4 fabric K rectangles in the same direction. (Step 1)
- Cut all 4 (3½' x 6½') rectangles of fabric E on the opposite diagonal as shown, from upper right corner to left bottom corner. Cut remaining 4 fabric K rectangles in the same direction. (Step 1)
- Pair triangles, right sides together along the bias line and sew together. The little ends of the triangles will overhang, as shown. (Step 2)



- Open, press and trim pieces. (Step 3)
- Trim fabric **F** pieces to 2½ × 5.
- Trim fabric E pieces to 2½ x 4½'

Assembling the Columns

 Columns will be composed of strip sets, fabric K strips of different sizes, and HRTs that are sewn together. Cut and sew together WOF fabric K strips as needed. Refer to diagram for proper orientation of HRT units. Press columns.

Column 1:

2' x 83½' fabric K strip

Column 2:

DEF set > 2½' x 1' fabric **K** strip > **ABC** set > 2½' x 55' fabric **K** strip

Column 3:


2' x 83½' fabric **K** strip

Column 4:

2½' x 9' fabric K strip > GHIJ set > 2½' x 1' fabric K strip > DEF set (upside down) > 2½' x 42' fabric K strip

Column 5:

2½' x 45½' fabric **K** strip > HRT of fabrics **FK** > HRT of fabrics **FK** (upside down) > 2½' x 29½' fabric **K** strip



artgalleryfabrics.com

Column 6:

2½' x 10½' fabric K strip > **BEJG** set > 2½' x 12' fabric K strip > **DEF** set > 2½' x 1' fabric K strip > **GHIJ** set > 2½' x 15' fabric K strip

Column 7:

 $2\frac{1}{2}$ x 11' fabric K strip > HRT of fabrics EK > HRT of fabrics EK (upside down) > $2\frac{1}{2}$ x $21\frac{1}{2}$ ' fabric K strip > HRT of fabrics EK > HRT of fabrics EK (upside down) > $2\frac{1}{2}$ x 35' fabric K strip

Column 8:

2" x 83½" fabric K strip

Column 9:

2½' x 53½' fabric **K** strip > HRT of fabrics **FK** > HRT of fabrics **FK** (upside down) > 2½' x 21½' fabric **K** strip

Column 10:

2½' x 15' fabric K strip > **BEJG** set (upside down) > 2½' x 1' fabric K strip > **ABC** set > 2½' x 1' fabric K strip > **DEF** set > 2½' x 21½' fabric K strip

Column 11: 2' x 83¹/2' fabric **K** strip

Column 12:

2½' x 33' fabric **K** strip > **GHIJ** set (upside down) > 2½' x 32½' fabric **K** strip

Column 13: 2' x 83¹/2' fabric **K** strip

Column 14:

2½' x 20' fabric **K** strip > **DEF** set (upside down) > 2½' x 1' fabric **K** strip > **ABC** set (upside down) > 2½' x 16½' fabric **K** strip

Column 15:

2½' x 19½' fabric **K** strip > HRT of fabrics **EK** > HRT of fabrics **EK** (upside down) > 2½' x 55½' fabric **K** strip

Column 16: 4' x 83½' fabric **K** strip

Column 17:

2½' x 33' fabric **K** strip > HRT of fabrics **FK** > HRT of fabrics **FK** (upside down) > 2½' x 42' fabric **K** strip

Column 18:

2½' × 9' fabric K strip > ABC set > 2½' × 1' fabric K > DEF set > 2½' × 13' fabric K strip > GHIJ set > 2½' × 15½' fabric K

Column 19:

2' x 83½' fabric **K** strip

Column 20:

 $2\frac{1}{2} \times 20^{\circ}$ fabric K strip > GHIJ set (upside down) > $2\frac{1}{2} \times 1^{\circ}$ fabric K strip > BEJG set (upside down) > $2\frac{1}{2} \times 1^{\circ}$ fabric K strip > DEF set > $2\frac{1}{2} \times 12^{\circ}$ fabric K strip

Column 21:

2½' x 52½' fabric K strip > HRT of fabrics EK > HRT of fabrics EK (upside down) > 2½' x 23' fabric K strip

Column 22:

5½ × 83½ fabric **K** strip

Column 23:

2½' x 42' fabric K strip > **BEJG** set > 2½' x 1' fabric K strip > **DEF** set (upside down) > 2½' x 9' fabric K strip

Column 24:

2½' x 15½' fabric K strip > HRT of fabrics FK > HRT of fabrics FK (upside down) > 2½' x 59½' fabric K strip

Column 25:

 $2\frac{1}{2}$ x $10\frac{1}{2}$ fabric K strip > **DEF** set > $2\frac{1}{2}$ x 1' fabric K strip > **ABC** set > $2\frac{1}{2}$ x $26\frac{1}{2}$ fabric K strip > **BEJG** set (upside down)

Column 26:

2' x 83½' fabric ${\rm K}$ strip

Column 27:

2½' x 9' fabric K strip > **BEJG** set > 2½' x 1' fabric K strip > **GHIJ** set (upside down) > 2½' x 1' fabric K strip > **ABC** set > 2½' x 23' fabric K strip

Column 28: 2' x 83½' fabric **K** strip

ASSEMBLING THE TOP

Sew all rights sides together with ¼"seam allowance. Press open.

- Sew columns to each other in order, alternating the direction of sewing each time. For example, sew columns 1&2 together starting from the top and sew 2&3 starting from the bottom.
- Refer to illustration for extra guidance.
- Press the top.

QUILT ASSEMBLY

Sew rights sides together.


- Take 4 yds of the suggested backing fabric and cut in half to obtain two (2) equal 72" units.
- Sew them right sides together on the longer edge.
- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- I suggest doing the Double Fold Binding, which has double thickness.
- Cut enough (8) strips 2 ¼ ' wide by the width of the fabric F to make a final strip 297' long. Fold and press the long binding strip in half widthwise (on the shorter side), wrong sides together.
- Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5' tail. Sew with ¼' seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching ¼' before the edge of the quilt (DIA-GRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to ¼' and press open. Complete the sewing. Turn binding to back of the quilt, and stitch by hand using blind stitch.





artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2016 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.