

A baby is shown sitting in a baby carrier that hangs from a wooden frame. The carrier has a light blue interior and a patterned exterior with black and white geometric shapes and pink floral accents. The baby is wearing a light blue onesie with a white bear face design. The carrier is suspended by thick, light-colored ropes. The background is a white wall with a wooden frame and a white grid pattern.

x x x x x x x x x x x x x x x x x x x



CLINGING HUG

DESIGNED BY AGF STUDIO

AGFstudio

pine LULLABY

FABRICS DESIGNED BY AGF STUDIO



KC-1300
FURRIES COOL




KC-1301
SNUGGERY BREEZE



KC-1302
LOBLOLLY PINE



KC-1303
ETCHINGS MIST



KC-1304
LINE MARKINGS



KC-1305
FURRIES SWEET



KC-1306
SNUGGERY WARMTH



KC-1307
LOBLOLLY WOOD



KC-1308
ETCHINGS NECTAR



KC-1309
CUTE CARVINGS



FEEL THE DIFFERENCE © 2019 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

CLINGING HUG

FINISHED SIZE | 9" x 7"

FABRIC REQUIREMENTS

Fabric A	KC-1306	1/3 yd.
Fabric B	KC-1309	1/4 yd.
Fabric C	KS-116	1/4 yd.
Fabric D	KS-107	1/8 yd.
Fabric E	KS-128	1/8 yd.

ADDITIONAL MATERIALS

Pillow fill.
Batting.
Velcro.
Steam-A-Seam
Black Cotton rope

CUTTING DIRECTIONS

1/4" seam allowances are included.
WOF means width of fabric.

Two (2) 1 1/2" x 2" strips from fabric B.

Refer to patterns for cutting pieces.

Use the Batting for the plushie Body arms, legs and ears.



Use the Batting for the bag arms, legs and ears.

Use the pillow fill for the Plushie arms, legs and ears.

Use the pillow fill for the Bag ears and Legs.

PATTERN ASSEMBLY

- Print the pattern pages and paste them together referring to each template cover page for placing order.



BAG CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

- Take one of the templates from fabric A, two round templates from fabric E, two round templates from fabric D and the nose template from fabric D.
- Use the printed template for Eyes, nose and cheeks placement.
- Applique the face on top of the fabric A body using Steam-A-Seam.
- It is always recommended to stitch on top to hold the pieces in place.
- Hand stitch the mouth and cheek pores.
- Take a small piece of velcro and paste it on the body center. Leave the other side of velcro for the Plushie back.
- Set aside.



DIAGRAM 1

- Take two ear templates from fabric **B** and the two remaining templates from fabric **D**.
- Applique the fabric **D** template on top of each of the fabric **B** ear templates using Steam-A-Seam.




DIAGRAM 2

- Take the remaining ear templates from fabric B.
- Cut four batting pieces the same size of the ears, place the batting on top of the wrong side of fabric from each ear piece.
- Place two ears (one with the applique and one without) right side of the fabric together and then sew them together to construct one ear, leave the bottom open.
- Turn it inside out.
- Repeat the previous step for the other ear.
- Use the pillow fill to shape the ears and handstitch to close the ears.
- Set aside.




DIAGRAM 3

- Take the Leg templates from fabric **B**.
- Cut four batting pieces the same size of the legs, place the batting on top of the wrong side of fabric from each leg piece.
- Place two legs right side of the fabric together and then sew them together to construct one leg, leave the bottom open.
- Turn it inside out.
- Repeat the previous step for the other leg.
- Use the pillow fill to shape the legss and handstitch to close the legs.
- Set aside.




DIAGRAM 4

- Take the arm templates from fabric **B**.
- Cut four batting pieces the same size of the arms, place the batting on top of the wrong side of fabric from each arm piece.
- Place two arms right side of the fabric together and then sew them together to construct one arm, leave the bottom open.
- Turn it inside out.
- Repeat the previous step for the other arm.
- Set aside.




DIAGRAM 5

- Take the 1½" x 2" strips from fabric **B**.
- Fold them in half, wrong side of the fabric out.
- Sew the right and left edge to close it.
- Turn it inside out.
- Make a buttonhold.
- Set aside




DIAGRAM 6

- Take the bag body, the two legs, two arms, two ears and the two buttonhole rectangles.
- Place on top all the body parts and the buttonhole rectangles inside the bag body.
- Refer to the diagram below for pieces placement.
- Pin in place.




DIAGRAM 7

- Place on top the back side of the bag body, wrong side of the fabric facing you and sew around it leaving the top open.



DIAGRAM 8

- Take the remaining strip from fabric C, fold it in half, iron it and sew the short end.




DIAGRAM 9

- Turn the strip over right side of the fabric out. Make two buttonholes on opposite sides which will go align to each side of the bag.
- Fold the round shape in half.
- Turn the Bag inside out.
- Pin the strip all the way around the bag open edge and sew it.
- Make sure the buttonholes are aligned to each side seam of the bag.



DIAGRAM 10

- Take the black cotton rope and attach a safety pin to one end of the rope.
- Insert it to one of the Fabric **C** strip buttohold, using a safety pin as a guide.
- Make sure to leave an end about 15", the safety pin goes all the way around and comes back out again through the same buttohold.
- Insert it back to bring it out now on the opposite end.
- You should end up with the rope coming out from both ends of the bag strip.
- Take the ends and insert them on the bottom square piece buttohold made with fabric **B**.
- Make a knot big enough so the ends won't come out.



DIAGRAM 11

PLUSHIE CONSTRUCTION

- Take one of the templates from fabric **B**, two round templates from fabric **E**, two round templates from fabric **D** and the nose template from fabric **D**.
- Use the printed template for Eyes, nose and cheeks placement.
- Applique the face on top of the fabric **B** body using Steam-A-Seam.
- It is always recommended to stitch on top to hold the pieces in place.
- Hand stitch the mouth and cheek pores.
- Set aside.

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



DIAGRAM 12

- Take the other side template from fabric **B**, that will be the back of the plushie and center the other side of the velcro left from the bag on top of the right side of the fabric.
- Set aside.




DIAGRAM 13

- Take two ear templates from fabric **B** and the two remaining templates from fabric **D**.
- Applique the fabric **D** template on top of each of the fabric **B** ear templates using Steam-A-Seam.




DIAGRAM 14

- Take the remaining ear templates from fabric **B**.
- Cut four batting pieces the same size of the ears, place the batting on top of the wrong side of fabric from each ear piece.

- Place two ears (one with the applique and one without) right side of the fabric together and then sew them together to construct one ear, leave the bottom open.
- Turn it inside out.
- Repeat the previous step for the other ear.
- Use the pillow fill to shape the ears and handstitch to close the ears.
- Set aside.




DIAGRAM 15

- Take the Leg templates from fabric **C**.
- Cut four batting pieces the same size of the legs, place the batting on top of the wrong side of fabric from each leg piece.
- Place two legs right side of the fabric together and then sew them together to construct one leg, leave the bottom open.
- Turn it inside out.
- Repeat the previous step for the other leg.
- Use the pillow fill to shape the legs and handstitch to close the legs.
- Set aside.




DIAGRAM 16

- Take the arm templates from fabric **C**.
- Cut four batting pieces the same size of the arms, place the batting on top of the wrong side of fabric from each arm piece.
- Place two arms right side of the fabric together and then sew them together to construct one arm, leave the bottom open.




DIAGRAM 17



- Turn it inside out.
 - Repeat the previous step for the other arm.
 - Set aside.
- 
- DIAGRAM 17
- Cut two batting pieces the same size of the plushie body, place the batting on top of the wrong side of fabric from each body piece.
 - Take the body with the face, the two legs, two arms and two ears.
 - Place on top all the body parts inside the body.
 - Refer to the diagram below for pieces placement.
 - Pin in place.



DIAGRAM 18

- Place on top the back side of the body, wrong side of the fabric facing you and sew around it leaving the bottom open.
 - Turn it inside out and use the pillow fill to form the plushie.
 - handstitch the opening.
 - Voila!
- 




DIAGRAM 19



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.