

Pathway Block



Block 1:



100N Elements

decost#tch Elements

FABRICS DESIGNED BY ART GALLERY FABRICS



Block 2:





PE-436 CREME DE LA CREME

FABRIC REQUIREMENTS

Block 1:		
Fabric A	ICE-205	
Fabric B	ICE-208	
Fabric C Fabric D	ICE-204 ICF-200	
Fabric E	ICE-200 ICE-201	
Fabric F	ICE-206	
Fabric G	PE-436	
Block 2:		
Fabric A	DSE-704	
Fabric B	DSE-708	
Fabric C	DSE-707	
Fabric D	DSE-706	
Fabric E	DSE-705	
Fabric F	DSE-709	
Fabric G	PE-436	

CUTTING DIRECTIONS

1/4" seam allowances are included.

Two (2) 1 1/2" squares from Fabric A

Fourteen (14) 1 1/2" x 2 1/2" strips from Fabric B and C

Two (2) 2" x 2 1/2" strips from Fabric B and C

Two (2) 1 1/2" x 9 1/2" strips from Fabric D and E

Two (2) 1 1/2" x 8 1/2" strips from Fabric D and E

One (1) 4 3/4" square from Fabric F and G (HST's)

Eight (8) 3" squares from Fabric G

Fifty Eight (58) 1 1/2" squares from Fabric G



CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

 Arrange two 1 ½" squares from Fabric A and G into a four patch block. Press your seams in alternating directions so your seams will nest into place.



DIAGRAM 1

- To make our flying geese we are using the corner square triangle method. Draw a line with a fabric marking pen from corner to corner on the wrong side of the fabric on all your 1 ½" squares from Fabric G.
- Place out all your 1 ½" x 2 ½" strips from Fabric B and C and place one of your marked squares on each corner of your strip with the diagonal line facing towards the center of your strip.
- Bring all these pieces over to your machine and sew on the line you drew, chain piecing all your squares to your strips.
- Trim your seam allowances to ½" and press your pieces open.





DIAGRAM 2



 Sew two flying geese units consisting of six Fabric C units and sew a 2" x 2 ½" strip to the ends of your units like this.



DIAGRAM 3

• Next, take your 1 ½" x 8 ½" strips from Fabric E and D and sew on either side of your flying geese units like this. (Diagram 4)





DIAGRAM 4

- Sew two flying geese units consisting of 7 Fabric B units and sew a 2 x 2 ½" strip from Fabric B to each end.
- Take these two units and sew to either side of your four patch block.



DIAGRAM 5

• Next take your 1 ½" x 9 ½" strips from Fabric D and E and sew to each end of your remaining Fabric C flying geese as follows and sew these strip units to your center flying geese unit matching up seams.






DIAGRAM 6


- We will make our HST's using the four at a time method. Take your 4 3/4" squares from Fabric F and G and place right sides together. Sew around your entire piece at 1/4".
- Cut your pieces on both diagonals to reveal four F/G Hst's.
- Trim your HST's to 3".




DIAGRAM 7

DIAGRAM 8

 Now sew 3" squares__ from Fabric G to your HST's as follows.








DIAGRAM 9

Now sew your two outer units to the center strip
of your block and it's time to square up your
block. Trim your block on all sides leaving a ¼"
seam allowance.






DIAGRAM 11





artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut

© 2019 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.