

X
X
X
X
X
X
X
X
X
X
X
X
X
X
X
X
X
X
X

Prismatic




FREE PATTERN

XX




Prismatic



PURE SOLIDS

FABRICS DESIGNED BY AGF STUDIO



PE-493
PLUM PRESERVE



PE-492
WEATHERED BRICK



PE-494
DRIED ROSES



PE-472
CINNAMON



PE-489
MIAMI SUNSET




PE-488
BLOSSOMED



PE-487
COTTON CANDY



PE-419
LIGHT GREY



PE-479
GENTLE FEATHER



PE-480
STEEL



PE-481
MAGNETISM



Prismatic

FINISHED SIZE | 10'x10'

FABRIC REQUIREMENTS

Fabric A	PE-493	F8.
Fabric B	PE-492	F8.
Fabric C	PE-494	F8.
Fabric D	PE-472	F8.
Fabric E	PE-489	F8.
Fabric F	PE-488	F8.
Fabric G	PE-487	F8.
Fabric H	PE-419	F8.
Fabric I	PE-479	F8.
Fabric J	PE-480	F8.
Fabric K	PE-481	F8.

CUTTING DIRECTIONS

*1/4" seam allowances are included.
WOF means width of fabric.*

- Two (2) 2 7/8" x 2 7/8" squares from Fabrics **A, B, C, E, F, G, H**
- Three (3) 2 7/8" x 2 7/8" squares from Fabrics **D**
- Four (4) 2 7/8" x 2 7/8" squares from Fabrics **I, K**
- Five (5) 2 7/8" x 2 7/8" squares from Fabrics **J**

CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

- Start with the construction of the HST's
- To accomplish the HST construction take the following 2 7/8" squares and follow the diagram below.
- Using a water-soluble marker, mark a diagonal line across the wrong side of fabric **I, J, K**.





DIAGRAM 1

- Follow the Diagram below for each block assembly.
- Then pair each row to complete your block.





DIAGRAM 2

- Quilt as desired.



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.