





byAGF



DESIGNED BY AGEstudio



FABRICS DESIGNED BY AGF studio



CAP-PL-1300



CAP-PL-1301



CAP-PL-1302




CAP-PL-1304



CAP-PL-1305



CAP-PL-1306




CAP-PL-1308



CAP-PL-1310 MOUNTAIN PINES



CAP-PL-1311 STAR GLOW



CAP-PL-1312



CAP-PL-1313 BEAR HUG PANEL



CAP-PL-1314 ENJOY THE LITTLE THINGS PANEL





FABRIC REQUIREMENTS

Fabric A CAP-PL-1314 1"Yd Fabric B DEN-L-400 34"Yd Fabric C DEN-S-2003 1/2"Yd

CUTTING DIRECTIONS

1/4" seam allowances are included. WOF means width of fabric.

Fabric A

- Cut one (1) 17½" x 14" fussy cut of the yellow bear rectangle.
- Cut one (1) $17\frac{1}{2}$ " x 14" fussy cut rectangle of the stripes print.

Fabric B

- Cut two (2) 17½" x 14" rectangles.(Lining)
- Cut two (2) 16" x 1¾" strips (Handles)

Fabric C

- Cut two (2) 5½" x 7" rectangles
- Cut one (1) 13" x 6" rectangle

CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

 To start take the yellow bear and stripes sections of the panel and cut a fussy cut rectangle for each section.


• Place batting under and quilt as desired.





The Pockets

- Take the two (2) $5\frac{1}{2}$ " x 7" rectangles from fabric C, fold $\frac{1}{8}$ " to the sides and bottom,
- Fold ½" to the top. Then top stitch.
- Repeat the same step with the 13" x 6" rectangle from fabric C Those pieces will be the pockets . Set Aside



- Arrange pockets on 17½" x 14" rectangles from fabric B as shown on diagram below.
- Sew the sides and bottom.




DIAGRAM 2

- Sew the sides and bottom of the two rectangles that you cut from fabric A (That will be the outside of the tote)
- Sew the sides and bottom of the two rectangles that you cut from fabric B (That will be the lining of the tote)





DIAGRAM 3

- Sew the outside of the tote and the lining by the top side right sides together, leaving approximately 2" opening,
- Turn the tote inside out and attach handles.





The Handles

- Take the 16" \times 1 $\frac{3}{4}$ " straps , fold them as shown on diagram below,
- Press, fold it again and top stitch



DIAGRAM 5

- Take one of the straps and measure about 4" from the side, and lined up to the 1" fold of the top of the bag.
- Pin the strap and sew.
- Repeat the same step on each side.




DIAGRAM 6





artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

@ 2019 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.