

X
X
X
X
X
X
X
X
X
X
X
X
X
X
X
X

Eloise



FREE PATTERN

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



Eloise

PILLOW DESIGNED BY AGF



Her & History

FABRICS DESIGNED BY BONNIE CHRISTINE



HEH-52781
ETHEL'S VINTAGE



HEH-52784
WILLA'S DAYDREAM



HEH-52787
IDA'S PRESSED FLOWERS



HEH-52790
EVELYN'S GREEN THUMB



HEH-52786
MAYBELLE'S STITCHES



Eloise

FINISHED SIZE | 19" x 16"

FABRIC REQUIREMENTS

Fabric A	HEH-52781	¾ yd.
Fabric B	HEH-52790	⅛ yd.
Fabric C	HEH-52784	⅛ yd.
Fabric D	HEH-52787	¼ yd.
Fabric E	HEH-52786	⅛ yd.

CUTTING DIRECTIONS

¼" seam allowances are included.
WOF means width of fabric.

Fabrics **A**:

- Cut two (2) 16½" x 4½" strips.
- Cut two (2) 16½" x 2" strips.
- Cut two (2) 4" squares.
- Cut twenty four (24) 2½" squares.
- Cut two (2) 16½" x 12" rectangles.

Fabrics **B**:

- Cut four (4) 4½" x 2½" rectangles.

Fabrics **C**:

- Cut one (1) 4" squares.

Fabrics **D**:

- Cut one (1) 4" squares.
- Cut two (2) 4½" x 2½" rectangles.

Fabrics **E**:

- Four (4) 4½" x 2½" rectangles.

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

For this project we will be using two different methods.

Four at a time HST method:

- Start by placing one (1) 4" square from fabric **A** and **D** right sides together.
- Sew all around the square at ¼" seam.
- Mark diagonal lines corners to corners on the wrong side of the fabric squares.
- Using your rotary blade, cut the square in quarters following the drawn lines.
- Press each HST and trim to a 2½" squares.
- Repeat the same step with the 4" square from fabric **A** and **C**.



DIAGRAM 1

Flying Geese:

- Place one (1) $2\frac{1}{2}$ " square from fabric **A** to the right edge of one (1) $4\frac{1}{2}$ "x $2\frac{1}{2}$ " rectangle from fabric **B**.
- Mark a diagonal line, sew through the line, trim $\frac{1}{4}$ " away from the seam, and press.
- Place another $2\frac{1}{2}$ " square from fabric **B** and place it to the left edge.
- Mark a diagonal line, sew through the line, trim $\frac{1}{4}$ " away from the seam, and press.
- Repeat these steps 3 more times. You should have four (4) fabric **A-B** flying geese combination.




DIAGRAM 2

Repeat the flying geese steps with:

- Two (2) $4\frac{1}{2}$ "x $2\frac{1}{2}$ " rectangles from fabric **D** with four (4) $2\frac{1}{2}$ " squares from fabric **A**.
- Four (4) $4\frac{1}{2}$ x $2\frac{1}{2}$ rectangles from fabric **E** with eight (8) $2\frac{1}{2}$ " squares from fabric **A**.

x x

- Arrange the HST and flying geese by rows.
- For fabric placements and attachments , follow diagram bellow.



DIAGRAM 3

- Sew rows together



DIAGRAM 4

- Join one (1) $16\frac{1}{2}$ " x $4\frac{1}{2}$ " strip from fabric **A** to the top and another $16\frac{1}{2}$ " x $4\frac{1}{2}$ " strip from fabric **A** to the bottom of the unit
- See Diagram below for reference.




DIAGRAM 5

- Join one (1) 16½" x 2" strip from fabric **A** on each sides of the unit. See diagram for reference.




DIAGRAM 6

- Enjoy




DIAGRAM 7

CREATING THE BACK PILLOW

Sew all rights sides together with ¼" seam allowance. Press open.

- Take both 16½" x 12" rectangles from fabric **A**.
- Fold one bottom edge ½" towards the wrong side of the fabric of one of the rectangle.
- Fold the same edge ½" again and edge stitch the fold in place to have a clean edge.
- Repeat the same for the top edge of the bottom piece.
- Take the quilted pillow top and lay it flat right side up.
- Take one rectangle from fabric **A** and align it wrong side up to the top side of the pillow top.
- Take the other rectangle from fabric **A** and align it wrong side up to the bottom side of the pillow top.
- Pin the three pieces in place and sew around the edges at ¼".
- Clip the corners and flip the piece to the right side of the fabric.
- Fill the pillow with a 19" x 16" pillow form and enjoy!



XX

Congratulations & enjoy

XX



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.