



# Cathedral Burst

DESIGNED BY AGFstudio



## Ballerina FUSION

FABRICS DESIGNED BY AGF



**FUS-BL-1804**  
LACED BALLERINA



**FUS-BL-1805**  
FLECKS BALLERINA



**FUS-BL-1800**  
DOTTED VEIL BALLERINA



**FUS-BL-1809**  
MAGJA BALLERINA



**FUS-BL-1808**  
EIDELWEISS BALLERINA





# Cathedral Burst

## CONSTRUCTION

### FABRIC REQUIREMENTS

#### Pin Cushion 1

Fabric **A** FUS-BL-1804 1/8 yd.  
 Fabric **B** PE-486 1/8 yd.  
 Fabric **C** DEN-S-2006 1/4 yd.

#### Pin Cushion 2

Fabric **A** FUS-BL-1805 1/8 yd.  
 Fabric **B** DEN-L-4000 1/8 yd.  
 Fabric **C** FUS-BL-1800 1/4 yd.

#### Pin Cushion 3

Fabric **A** FUS-BL-1809 1/8 yd.  
 Fabric **B** DEN-S-2006 1/8 yd.  
 Fabric **C** FUS-BL-1808 1/4 yd.

#### Pin Cushion 4

Fabric **A** FUS-BL-1808 1/8 yd.  
 Fabric **B** FUS-BL-1800 1/8 yd.  
 Fabric **C** DEN-L-4000 1/4 yd.

### CUTTING DIRECTIONS

1/4" seam allowances are included.  
 WOF means width of fabric.

#### Fabric A

Cut one (1) 2 1/2" square.

#### Fabric B

Cut four (4) 2 1/2" squares.


#### Fabric C

Cut four (4) 2 1/2" squares.

Cut one (1) template 1.

Cut one (1) 3" x 1 1/4" strip.

- Take (4) 2 1/2" square from fabric **B** and fold it corner to corner.
- Press and place each one on a 2 1/2" square from fabric **C** towards the bottom corner (See Diagram below).



Section 1

Section 2



Section 3

Section 4

DIAGRAM 1

- Place Section 1 and 2 right sides together and sew it. Repeat the same step for section 3 and 4.





