featuring SUN KISSED collection by MAUREEN CRACKNELL







FREE PATTERN







FABRICS DESIGNED BY MAUREEN CRACKNELL




SKS-94307 PALM ISLAND ESCAPE



SKS-94303 BASKING BUDS SAND



SKS-94301 HAZY DAISIES SKY



SKS-84305 SUNSPOTS RASPBERRY



SKS-84309 BANDANA BANANA

ADDITIONAL BLENDERS FOR THIS PROJECT



TILE BLUE





FINISHED SIZE | 66" × 24"

FABRIC REQUIREMENTS

Fabric 🗛	SKS-94307	1% yd
Fabric B	SKS-9403	⁵⁄≋ yd
Fabric C	SKS-94301	¹⁄₄ yd
Fabric D	PE-418	½ yd
Fabric E	SKS-84305	½ yd
Fabric F	SKS-84309	¾ yd

BACKING FABRIC SKS-94301 -2yds. (suggested)

BINDING FABRIC Fabric F SKS-84309 (included)

CUTTING DIRECTIONS

¹/₄" seam allowances are included. WOF means width of fabric.

- Twenty eight (28) 7¹/₄" squares from fabric A.
- Eleven (11) 7¹/₄" squares from fabric **B**.
- Five (5) 7¹/₄" squares from fabric C.
- Six (6) $7^{1/4}$ " squares from fabric D.
- Six (6) 7¹/₄" squares from fabric E.
- Six (6) 7¹/₄" squares from fabric F.

BLOCK CONSTRUCTION

Sew all rights sides together with ¼"seam allowance.

Quarter Square Triangle Construction

- Take six (6) 7¹/₄" squares from fabric A and cut on the diagonal.
- Take six (6) 7¹/₄" squares from fabric **B** and cut them in (4) triangles.
- Take four (4) 7¹/₄" squares from fabric D and cut them in (4) triangles.



DIAGRAM 1

- Sew them together to form the quarter square triangle block, following the diagram below.
- Create a total of six (6) block 1.




DIAGRAM 2

- Take the six (6) remaining right triangles from fabric A and six (6) triangle from fabrics C and
 D and assemble your quarter square triangle following the diagram below.
- Create a total of six (6) block 2.



• You will have leftover of fabric **B** because it's a directional fabric.

- Now, take eleven (11) 7¹/₄" squares from fabric A and cut on the diagonal.
- You will have leftover fabric because its a directional print and we are using just one side for block 3.




DIAGRAM 4

• Take three (3) 7¹/₄" squares from fabric E and F and cut them in four (4) triangles.




DIAGRAM 5

- Sew them together to form the quarter square triangle block, following the diagram below.
- Create a total of eleven (11) block 3.




DIAGRAM 6

• Now, take eleven (11) 7¹/₄" squares from fabric A and cut on the diagonal, this time on the opposite side. You will have leftover fabric because its a directional print.



DIAGRAM 7

• Take three (3) 7¹/₄" squares from fabric E and F and cut them in four (4) triangles.




DIAGRAM 8

- Sew them together to form the quarter square triangle block, following the diagram below.
- Create a total of eleven (11) block 4.




DIAGRAM 9

• Take five (5) 7¹/₄" squares from fabric C and cut on the diagonal.




DIAGRAM 10

• Take five (5) 7¹/₄" squares from fabric **B** and cut them in four (4) triangles.




DIAGRAM 11

• Take three (3) 7¹/₄" squares from fabric D and cut them in (4) triangles.



DIAGRAM 12

- Sew them together to form the quarter square triangle block, following the diagram below.
- Create a total of five (5) block 5.



DIAGRAM 12

- Take five (5) right triangles from fabric C, five (5) triangles from fabrics B and D and assemble your quarter square triangle following the diagram below.
- Create a total of five (5) block 6.




DIAGRAM 13

• You will have leftover of fabric **B** because it's a directional fabric.

• Arrange your blocks in eleven (11) rows of four blocks each and sew, following the diagram below.

	Block 1	Block 3	Block 4	Block 2
Row 1				
Row 2	Block 5	Block 3	Block 4	Block 6
Row 3	Block 1	Block 3	Block 4	Block 2
Row 4	Block 5	Block 3	Block 4	Block 6
Row 5	Block 1	Block 3	Block 4	Block 2
Row 6	Block 5	Block 3	Block 4	Block 6
Row 7	Block 1	Block 3	Block 4	Block 2
Row 8	Block 5	Block 3	Block 4	Block 6
Row 9	Block 1	Block 3	Block 4	Block 2
Row 10	Block 5	Block 3	Block 4	Block 6
Row 11	Block 1	Block 3	Block 4	Block 2

 ${\rm DIAGRAM} \ 14$

QUILT ASSEMBLY

Sew rights sides together.


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finish, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut seven strips 1½" wide by the width of the fabric F to make a final strip 190" long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with 1⁄4" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching ¼" before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot.
 Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2).
 Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at ¼" of the border, stitching all the layers. Do the same in the four corners of the quilt.

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to ¼" and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



/x/x x x/x/x/x x x/x/x x x/x/x x x x/x/x x x/x/x x x/x/x x x/x/x





artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2021 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.