









DESIGNED BY AGEstudio





FABRICS DESIGNED BY BONNIE CHRISTINE



C-77600 BLUEBELLS AND BUTTERCUPS LARK



WFG-77601 CATKIN OATS



FINISHED SIZE | 24" × 32¾"

FABRIC REQUIREMENTS

Fabric **A** C-7760 1 % yd.

Fabric B WFG-77601 % yd.

Additional Material

Non-slip rug tape

Fringe tape

CUTTING DIRECTIONS

1/4" seam allowances are included. WOF means width of fabric.

- One (1) 33½" x 24½" rectangle from fabric A (backing).
- Four (4) 10" squares from fabric A.
- One (1) $24\frac{1}{2}$ " x $3\frac{1}{4}$ " rectangle from fabric A.
- Two (2) $24\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangles from fabric A.
- Four (4) 10" squares from fabric B.

CONSTRUCTION

Sew all rights sides together with ¼"seam allowance.

- Start by taking fabric A and B 10" squares, right sides facing
- Stitch all edges at a ¼" seam.
- Then cut at the diagonals following the diagram below




DIAGRAM 1

- Arrange the HSTs into an hourglass block and sew together. Press.
- The block should measure 12¾" square.
- Repeat the same process three more times, so you have a total of four (4) blocks.



DIAGRAM 2

- Divide the total size of the block by 3, that will be the measurement to start cutting your block, which would be 4½" and that should be your start from your left edge to start tracing.
- Trace a line.



DIAGRAM 3

 Rotate the block and trace another line at a 4½" following the diagram below.



Rotate 90degrees

DIAGRAM 4

 Rotate and continue tracing following the diagrams below.






DIAGRAM 5

 You should have a total of nine (9) small blocks measuring 4¹/₄.



DIAGRAM 6

- Now, take the middle top block and the left middle block and swap them as diagram below.
- Repeat the same with the middle right and middle bottom block.
- You should have a a block looking like diagram below.
- Sew each piece together
- Repeat the same process for the other three (3) pieces.
- Your block will measure 11½" x 11½".






DIAGRAM 7

 Now, take two blocks and rotate one 90° (mirror effect) and sew them together.



DIAGRAM 8

 Repeat the same process for the other two (2) blocks but rotate them 180° following th diagram below.



DIAGRAM 9

• Follow diagram below for each row assembly.




DIAGRAM 10

- Quilt as desired.
- Take the fringe tape and cut two (2) long pieces and place it on the top and bottom edges of the rug top.
- Pin in place.



DIAGRAM 11

- Place the backing piece right sides facing.
- Sew all around leaving about 4" of opening.
- Turn your piece inside out.
- Sew the opening by hand of machine stitch.







DIAGRAM 12

- Follow the instructions of the non slip rug tape and place the amount desired on the back of your rug.
- Enjoy!

Congratulations & enjoy



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2021 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.