

WILDERNESS

FINISHED SIZE | 60" x 64"

FABRIC REQUIREMENTS

Fabric A	FUS-LF-2200	1 yd.
Fabric B	PE-489	½ yd.
Fabric C	PE-450	¼ yd.
Fabric D	PE-458	⅛ yd.
Fabric E	DEN-L-4000	¼ yd.
Fabric F	FUS-LF-2208	½ yd.
Fabric G	FUS-LF-2206	½ yd.
Fabric H	FUS-LF-2207	⅝ yd.
Fabric I	FUS-LF-2205	¼ yd.
Fabric J	PE-436	¼ yd.
Fabric K	PE-408	½ yd.
Fabric L	FUS-LF-2203	½ yd.
Fabric M	PE-496	1 yd.
Fabric N	PE-465	¼ yd.
Fabric O	FUS-LF-2201	¾ yd.

BACKING FABRIC

FUS-LF-2207 4 yds (*Suggested*)

BINDING FABRIC

Fabric **O** FUS-LF-2201 (*Included*)

CUTTING DIRECTIONS

¼" seam allowances are included.
WOF means width of fabric.

- Two (2) 30½" x 4½" strips from fabric **A**.
- Three (3) 12½" x 6½" rectangles from fabric **A**.
- Ten (10) 6⅞" squares from fabric **A**.
- Five (5) 6⅞" squares from fabric **B**.
- Eleven (11) 3⅞" squares from fabric **B**.
- Fifteen (15) 3½" squares from fabric **B**.
- Six (6) 3⅞" squares from fabric **C**.
- Ten (10) 3½" squares from fabric **C**.
- Nine (9) 3⅞" squares from fabric **D**.
- One (1) 6⅞" square from fabric **E**.
- Six (6) 3⅞" squares from fabric **E**.
- Ten (10) 3½" squares from fabric **E**.
- Ten (10) 6⅞" squares from fabric **F**.
- One (1) 6½" square from fabric **F**.
- Two (2) 3⅞" squares from fabric **F**.
- One (1) 3½" square from fabric **F**.
- Eleven (11) 6⅞" squares from fabric **G**.
- Four (4) 6½" x 3½" rectangles from fabric **H**.
- Five (5) 6⅞" squares from fabric **H**.
- Ten (10) 3⅞" squares from fabric **H**.
- Ten (10) 3½" squares from fabric **H**.
- Nine (9) 3⅞" squares from fabric **I**.
- Eleven (11) 3½" squares from fabric **I**.
- Seven (7) 3⅞" squares from fabric **J**.
- Nine (9) 3½" squares from fabric **J**.
- One (1) 6½" x 3½" rectangle from fabric **K**.
- Three (3) 6⅞" squares from fabric **K**.
- Fifteen (15) 3½" squares from fabric **K**.
- Eight (8) 3⅞" squares from fabric **K**.
- Eight (8) 6⅞" squares from fabric **L**.
- One (1) 3⅞" square from fabric **L**.

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

- Two (2) 6½" x 3½" rectangles from fabric **M**.
- Four (4) 12½" x 3½" rectangles from fabric **M**.
- One (1) 15½" x 3½" rectangle from fabric **M**.
- Two (2) 18½" x 3½" rectangles from fabric **M**.
- One (1) 21½" x 3½" rectangle from fabric **M**.
- Three (3) templates 1 from fabric **M**.
- Three (3) 6⅞" squares from fabric **M**.
- Eight (8) 3⅞" squares from fabric **M**.
- Fifteen (15) 3½" squares from fabric **M**.
- Seven (7) 3⅞" squares from fabric **N**.
- Five (5) 3½" squares from fabric **N**.
- Three (3) template 2 from fabric **O**.
- One (1) 6⅞" square from fabric **O**.
- Seven (7) 42" x WOF strips from fabric **O**.

- *Cut template 2 from fabric **O** following the diagram below.*




DIAGRAM 1

Half Square Triangle construction

- Take two (2) 3⅞" squares and place them right sides facing each other.
- Draw a line diagonally corner to corner using a mechanical pencil or frixon pen.
- Stitch at a SCANT ¼" from each side of the drawn line.
- Cut along the marked diagonal line.
- Press open and trim to a 3½" square.




DIAGRAM 2

- Take the following number of 3⅞" squares from the following fabrics in order to build the half square triangles HSTs:

B: 11 **C:** 6 **D:** 9 **E:** 6 **F:** 2 **H:** 10 **I:** 9
J: 7 **K:** 8 **L:** 1 **M:** 8 **N:** 7

- Following the half square triangle (HST) instruction, assemble the following fabric pieces:




DIAGRAM 3

- Repeat the same half square triangle (HST) construction taking two $6\frac{7}{8}$ " squares and place them right sides facing each other.
- Draw a line diagonally corner to corner using a mechanical pencil or frixion pen.
- Stitch at SCANT $\frac{1}{4}$ " from each side of the drawn line.
- Cut along the marked diagonal line.
- Press open and trim to a $6\frac{1}{2}$ " square.
- Take the following amount of $6\frac{7}{8}$ " squares from the following fabrics in order to construct the half square triangles HSTs:

A: 3 **B:** 4 **E:** 1 **F:** 7 **G:** 7 **H:** 4 **K:** 2
L: 4 **M:** 2 **O:** 1

Note: For fabric **A**, assemble the half square triangle (HST) following the diagram below to keep the direction of this print.




DIAGRAM 4

- Take the remaining seven $6\frac{7}{8}$ " squares from fabric **A** and cut on the diagonal.
- Cut four (4) from left to right (from the bottom left corner, to the top right corner) and three right to left (from the bottom right corner, to the top left corner), following the diagram below.
- You will be using some of the pieces for each block construction, focusing on the direction of the fabric.



DIAGRAM 5

- Take the remaining $6\frac{7}{8}$ " squares from fabrics **B, F, G, H, K, L, M** and cut on the diagonal following the diagram below.




DIAGRAM 6

Block 1 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **B** and two (2) $3\frac{1}{2}$ " squares from fabric **C** and join them following the diagram below.




DIAGRAM 7

- Now, take one (1) fabric **A** triangle and place it on top of your assembled **C-B-C** unit, right sides together.
- Sew at a $\frac{1}{4}$ ".
- Press open and trim excess fabric. The block should measure $6\frac{1}{2}$ ".




DIAGRAM 8

Block 2 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **B** and two (2) $3\frac{1}{2}$ " squares from fabric **C** and join them following the diagram below.




DIAGRAM 9

- Now, take one (1) fabric **A** triangle and place it on top of your assembled **C-B-C** unit, right sides together.




DIAGRAM 10

Block 3 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **B** and one (1) $3\frac{1}{2}$ " square from fabric **C** and join them following the diagram below.




DIAGRAM 11

- Now, take one (1) fabric **A** triangle and place it on top of your assembled **C-B-B** unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 3 .




DIAGRAM 12

Block 4 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **B** and one (1) $3\frac{1}{2}$ " **B-C** half square triangle (HST) and join them following the diagram below.




DIAGRAM 13

- Now, take one (1) fabric **A** triangle and place it on top of your assembled **B-B-BC** unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 4 .




DIAGRAM 14

Block 5 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **B** and one (1) $3\frac{1}{2}$ " **B-C** half square triangle (HST) and join them following the diagram below.




DIAGRAM 15

- Now, take one (1) fabric **A** triangle and place it on top of your assembled **B-BC-B** unit, right sides together.




DIAGRAM 16

Block 6 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabrics **E** and **F** and one (1) $3\frac{1}{2}$ " **E-F** half square triangle (HST) and join them following the diagram below.




DIAGRAM 17

- Now, take one (1) fabric **B** triangle and place it on top of your assembled **E-EF-F** unit, right sides together.




DIAGRAM 18

Block 7 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **E** and one (1) $3\frac{1}{2}$ " **D-E** half square triangle (HST) and join them following the diagram below.




DIAGRAM 19

- Now, take one (1) fabric **F** triangle and place it on top of your assembled **E-DE-** unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 7.




DIAGRAM 20

Block 8 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **E** and one (1) $3\frac{1}{2}$ " **D-E** half square triangle (HST) and join them following the diagram below.




DIAGRAM 21

- Now, take one (1) fabric **F** triangle and place it on top of your assembled **E-DE-E** unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 8.




DIAGRAM 22

Block 9 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **I** and one (1) $3\frac{1}{2}$ " **H-I** half square triangle (HST) and join them following the diagram below.




DIAGRAM 23

- Now, take one (1) fabric **F** triangle and place it on top of your assembled **I-HI-I** unit, right sides together.




DIAGRAM 24

Block 10 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabrics **H** and **I** and one (1) $3\frac{1}{2}$ " **H-I** half square triangle (HST) and join them following the diagram below.



DIAGRAM 25

- Now, take one (1) fabric **G** triangle and place it on top of your assembled **B-BC-C** unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 14.




DIAGRAM 34

Block 15 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **J** and two (2) $3\frac{1}{2}$ " squares from fabric **K** and join them following the diagram below.




DIAGRAM 35

- Now, take one (1) fabric **H** triangle and place it on top of your assembled **J-K-K** unit, right sides together.




DIAGRAM 36

Block 16 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **J** and two (2) $3\frac{1}{2}$ " squares from fabric **K** and join them following the diagram below.




DIAGRAM 37

- Now, take one (1) fabric **H** triangle and place it on top of your assembled **J-K-K** unit, right sides together.




DIAGRAM 38

Block 17 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabrics **H** and **I** and one (1) **H-I** hst and join them following the diagram below.




DIAGRAM 39

- Now, take one (1) fabric **K** triangle and place it on top of your assembled **H-HI-I** unit, right sides together.




DIAGRAM 40

Block 18 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **J** and two (2) $3\frac{1}{2}$ " squares from fabric **K** join them following the diagram below.




DIAGRAM 41

- Now, take one (1) fabric **L** triangle and place it on top of your assembled **J-K-K** unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 18.




DIAGRAM 42

Block 19 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **J** and two (2) $3\frac{1}{2}$ " squares from fabric **K** and join them following the diagram below.




DIAGRAM 43

- Now, take one (1) fabric **L** triangle and place it on top of your assembled **J-K-K** unit, right sides together.




DIAGRAM 44

Block 20 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabrics **J** and **K** and one (1) $3\frac{1}{2}$ " **J-K** hst and join them following the diagram below.




DIAGRAM 45

- Now, take one (1) fabric **L** triangle and place it on top of your assembled **J-JK-K** unit, right sides together.




DIAGRAM 46

Block 21 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **M** and one (1) $3\frac{1}{2}$ " square from fabric **N** and join them following the diagram below.




DIAGRAM 47

- Now, take one (1) fabric **L** triangle and place it on top of your assembled **M-M-N** unit, right sides together.




DIAGRAM 48

Block 22 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **M** and one (1) $3\frac{1}{2}$ " square from fabric **N** and join them following the diagram below.




DIAGRAM 49

- Now, take one (1) fabric **L** triangle and place it on top of your assembled **M-N-M** unit, right sides together.




DIAGRAM 50

Block 23 Construction

- Take two (2) $3\frac{1}{2}$ " squares from fabric **M** and one (1) $3\frac{1}{2}$ " square from fabric **N** and join them following the diagram below.




DIAGRAM 51

- Now, take one (1) fabric **L** triangle and place it on top of your assembled **M-M-N** unit, right sides together.




DIAGRAM 52

Block 24 Construction

- Take one (1) $3\frac{1}{2}$ " square from fabric **J** and two (2) $3\frac{1}{2}$ " squares from fabric **K** and join them following the diagram below.




DIAGRAM 53

- Now, take one (1) fabric **M** triangle and place it on top of your assembled **J-K-K** unit, right sides together.




DIAGRAM 54

- Now, join template 1 and 2 from fabrics **M** and **O**, following the diagram below.




DIAGRAM 55

QUILT ASSEMBLY

Sew rights sides together.

- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut enough strips $2\frac{1}{2}$ " wide by the width of the fabric  to make a final strip 258" long and fold the strip length-wise. Start sewing the binding strip in the middle of one side of the quilt leaving an approximated 5" tail. Sew with $\frac{1}{4}$ " seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching $\frac{1}{4}$ " before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at $\frac{1}{4}$ " of the border, stitching all the layers. Do the same in the four corners of the quilt.

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to $\frac{1}{4}$ " and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.
- If you are using our 2.5 edition (binding fabric), click or scan this QR code to see a tutorial on how to use this specialty fabric.

