

featuring GROW & HARVEST COLLECTION BY ALEXANDRA BORDALLO

Dalia

PILLOW



x
x
x
x
x
x
x
x
x
x
x
x
x
x
x
x

ANGLES

A DIVISION OF AGF

FREE PATTERN

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

Dalia

PILLOW


DESIGNED BY *AGFstudio*



FABRICS DESIGNED BY ALEXANDRA BORDALLO



GRH14402
DEEPLY ROOTED



GRH14408
LINED SEEDBED WARM

ADDITIONAL BLENDERS FOR THIS PROJECT



PE-423
APPLETINI



PE-449
MANDARIN



FE-545
TANGERINE



Dalia

PILLOW

FINISHED SIZE | 20" x 20"

FABRIC REQUIREMENTS

Fabric A	GRH14402	FQ.
Fabric B	PE423	FQ.
Fabric C	GRH14408	$\frac{3}{4}$ yd.
Fabric D	PE449	FQ.
Fabric E	FE545	FQ.

BACK OF PILLOW
GRH14408 (Included)

CUTTING DIRECTIONS

$\frac{1}{4}$ " seam allowances are included.
WOF means width of the fabric.

- One (1) $10\frac{1}{2}$ " square from fabric **A**.
- Two (2) $5\frac{7}{8}$ " squares from fabric **B**.
- Four (4) $5\frac{1}{2}$ " squares from fabric **B**.
- Two (2) $20\frac{1}{2}$ " x 12" rectangles from fabric **C** (back of pillow).
- Two (2) 7" squares from fabric **C**.
- Sixteen (16) 3" squares from fabric **C**.
- Two (2) 7" squares from fabric **D**.
- Two (2) $5\frac{7}{8}$ " squares from fabric **E**.

CONSTRUCTION

Sew all rights sides together with $\frac{1}{4}$ " seam allowance.

Half Square Triangle construction

- Take two (2) $5\frac{7}{8}$ " squares and place them right sides facing.
- Draw a line diagonally corner to corner using a mechanical pencil or frixion pen.
- Stitch at $\frac{1}{4}$ " from each side of the drawn line.
- Cut along the marked diagonal line.
- Press open and trim to a perfect $5\frac{1}{2}$ " square.




DIAGRAM 1

- Take fabrics **B** and **E** $5\frac{7}{8}$ " squares and follow the HST construction in order to create a total of four (4) **BE** pieces.




DIAGRAM 2

Magic 8 construction

- Place one (1) 7" square from fabrics **C** and **D** right sides facing together.
- Mark a diagonal line across both diagonals on the wrong side of the top fabric square.
- Sew at a $\frac{1}{4}$ " seam allowance on both sides of the marked diagonal lines.




DIAGRAM 3

- Using your rotary cutter, cut the square into eighths.
- You will cut a horizontal line, vertical line, and on both diagonal lines, following the drawn diagonal lines.




DIAGRAM 4

- Open the blocks outward and either lightly finger press or use your iron to lightly press.
- Trim block to 3" x 3".
- Repeat again with the other 7" square from fabrics **C** and **D** in order to have a total of sixteen (16) **CD** squares.




DIAGRAM 5

- Take two (2) **CD** squares and two (2) 3" squares from fabric **C**.
- Join one **CD** square on the right side of one 3" square from fabric **C**.
- Then take another **CD** square and join it on the left side of the other 3" square from fabric **C**.




DIAGRAM 6

- Join both pieces together following the diagram below.




DIAGRAM 7

- Repeat the same construction with the remaining **CD** squares and 2½" squares from fabric **C**.
- Create a total of eight (8) blocks.




DIAGRAM 8

- Now, join two (2) of the assembled block following the diagram below.
- Repeat three (3) more times.




DIAGRAM 9

Snowball Corners Technique

- Take one (1) 10½" square from fabric **A** and four (4) 5½" squares from fabric **B**.
- Place one (1) 5½" square from fabric **B** on the top left corner of fabric **A**, right sides facing together.
- Sew at the diagonal and cut leaving ¼" seam allowance.
- Repeat on the other 3 corners.

BACK OF PILLOW




DIAGRAM 10

- Take all of your pieces and sew them by rows, following the diagram below.




DIAGRAM 11

- Sew rows 1 through 3.
- Quilt as desired.




DIAGRAM 12

- Take both 20½" x 12" rectangles from fabric **C**.
- Fold one bottom edge ½" towards the wrong side of the fabric of one of the rectangle.
- Fold the same edge ½" again and edge stitch the fold in place to have a clean edge.
- Repeat the same for the top edge of the bottom piece.
- Take the quilted pillow top and lay it flat right side up.
- Take one rectangle from fabric **C** and align it wrong side up to the right side of the pillow top.
- Take the other rectangle from fabric **C** and align it wrong side up to the left side of the pillow top.
- Pin the three pieces in place and sew around the edges at ¼".
- Clip the corners and flip the piece to the right side of the fabric.
- Fill the pillow with a 20" x 20" pillow form and enjoy!




DIAGRAM 13



XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Congratulations
& enjoy

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2022 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.