

A top-down view of a tea set arranged on a quilted tablecloth. The tablecloth features a complex geometric pattern with red, white, and blue triangles and squares, some containing floral motifs. A white teapot sits at the top center. To its left is a white cup and saucer with a gold rim, and a white cup with a floral design on a gold-rimmed saucer. To the right of the teapot is a small white bowl with a floral design. Further right is a gold-rimmed plate with three round cookies. A small bottle of red liquid is visible on the right edge. The entire set is placed on a wooden surface.

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

ANGLES

A DIVISION OF AGF

BLOSSOM SPELL

TABLE RUNNER

DESIGNED BY AGFstudio

GAYLE
LORRAINE

FABRICS DESIGNED BY ELIZABETH CHAPPELL




GAL34901
EVERMORE BLISS




GAL34905
CALICO BLOOMS



GAL34908
MAGNOLIA DREAMS DAY



GAL34903
SMALL & SWEET



GAL34906
LOOKING OUT



GAL34902
SWEET NOSTALGIA




ADDITIONAL BLENDERS FOR THIS PROJECT



PE486
VANILLA CUSTARD



PE488
BLOSSOMED



PE436
CREME DE LA CREME



DENL4000
SOFT SAND

BLOSSOM SPELL

TABLE RUNNER

FINISHED SIZE | 24" x 41½"

FABRIC REQUIREMENTS

Fabric A	GAL34901	¾ yd.
Fabric B	GAL34905	⅛ yd.
Fabric C	GAL34908	⅛ yd.
Fabric D	GAL34903	⅛ yd.
Fabric E	GAL34906	¼ yd.
Fabric F	PE486	⅛ yd.
Fabric G	DENL4000	⅛ yd.
Fabric H	PE488	⅛ yd.
Fabric I	GAL34911	¼ yd.
Fabric J	PE436	¾ yd.

BACKING FABRIC
GAL34911 1½ yds (*Suggested*)

BINDING FABRIC
Fabric **E** GAL34906 (*Included*)

CUTTING DIRECTIONS

¼" seam allowances are included.
WOF means width of fabric.

- Three (3) 3" x WOF strips from fabric **A**.
- One (1) 1½" x WOF strip from fabric **A**.
- One (1) 1½" x WOF strip from fabric **B**.
- Two (2) 1½" x WOF strips from fabric **C**.
- One (1) 1½" x WOF strip from fabric **D**.
- One (1) 1½" x WOF strip from fabric **E**.
- One (1) 1½" x WOF strip from fabric **F**.
- Two (2) 1½" x WOF strips from fabric **G**.
- One (1) 1½" x WOF strip from fabric **H**.
- Four (4) 8" squares from fabric **I**.
- Four (4) 8" squares from fabric **J**.
- Ten (10) 1½" x WOF strips from fabric **J**.

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

Block 1 construction:

- Take one (1) 1½" x WOF strip from fabric **A** and subcut it into three (3) strips: two (2) measuring 13" x 1½", and one (1) measuring 7" x 1½".
- Repeat the same for fabric **B** strip, but this time cut one (1) 13" x 1½" strip and two (2) 7" x 1½" strips.




DIAGRAM 1

- Take two (2) 13" x 1½" strips from fabric **A** and one (1) 13" x 1½" strip from fabric **B** and join them in the following order: **A-B-A**.




DIAGRAM 2

- Cut eight (8) strips of $1\frac{1}{2}$ " width following the diagram below.




DIAGRAM 3

- Take one (1) $7" \times 1\frac{1}{2}"$ strip from fabric **A** and two (2) $7" \times 1\frac{1}{2}"$ strips from fabric **B** and join them in the following order: **B-A-B**.




DIAGRAM 4

- Cut four (4) strips of $1\frac{1}{2}"$ width following the diagram below.




DIAGRAM 5

- Take two (2) **ABA** strips and one (1) **BAB** strip and join them following the diagram below.
- Repeat three (3) more times in order to have a total of four (4) Block 1.




DIAGRAM 6

Block 2 construction:

- Take two (2) $1\frac{1}{2}" \times \text{WOF}$ strips from fabric **C** and subcut it into three (3) strips: one (1) measuring $28" \times 1\frac{1}{2}"$ strip, and two (2) measuring $15" \times 1\frac{1}{2}"$ strips.
- Take two (2) $1\frac{1}{2}" \times \text{WOF}$ strips from fabric **J** and cut two (2) $28" \times 1\frac{1}{2}"$ strips and one (1) $15" \times 1\frac{1}{2}"$ strip.



DIAGRAM 7

- Take one (1) $28" \times 1\frac{1}{2}"$ strip from fabric **C** and two (2) $28" \times 1\frac{1}{2}"$ strips from fabric **J** and join them in the following order: **J-C-J**.



DIAGRAM 8

- Cut eighteen (18) strips of $1\frac{1}{2}"$ width following the diagram below.



DIAGRAM 9

- Take two (2) $15" \times 1\frac{1}{2}"$ strips from fabric **C** and one (1) $15" \times 1\frac{1}{2}"$ strip from fabric **J** and join them in the following order: **C-J-C**.



DIAGRAM 10

- Cut nine (9) strips of $1\frac{1}{2}"$ width following the diagram below.




DIAGRAM 11

- Take two (2) **JCJ** strips and one (1) **CJC** strip and join them following the diagram below.
- Repeat eight (8) more times in order to have a total of nine (9) Block 2.




DIAGRAM 12

Block 3 construction:

- Take one (1) $1\frac{1}{2}$ " x WOF strip from fabric **D** and subcut it into three strips: one (1) measuring $19" \times 1\frac{1}{2}"$, and two (2) measuring $10" \times 1\frac{1}{2}"$.
- Take two (2) $1\frac{1}{2}"$ x WOF strips from fabric **J** and cut two (2) $19" \times 1\frac{1}{2}"$ strips and one (1) $10" \times 1\frac{1}{2}"$ strip.




DIAGRAM 13

- Take one (1) $19" \times 1\frac{1}{2}"$ strip from fabric **D** and two (2) $19" \times 1\frac{1}{2}"$ strips from fabric **J** and join them in the following order: **J-D-J**.




DIAGRAM 14

- Cut twelve (12) strips of $1\frac{1}{2}"$ width following the diagram below.




DIAGRAM 15

- Take two (2) $10" \times 1\frac{1}{2}"$ strips from fabric **D** and one (1) $10" \times 1\frac{1}{2}"$ strip from fabric **J** and join them in the following order: **D-J-D**.




DIAGRAM 16

- Cut six (6) strips of $1\frac{1}{2}"$ width following the diagram below.




DIAGRAM 17

- Take two (2) **JDJ** strips and one (1) **DJD** strip and join them following the diagram below.
- Repeat five (5) more times in order to have a total of six (6) Block 3.




DIAGRAM 18

Block 4 construction:

- Take one (1) $1\frac{1}{2}"$ x WOF strip from fabric **E** and sub cut it into three strips: one (1) measuring $15" \times 1\frac{1}{2}"$, and two (2) measuring $9" \times 1\frac{1}{2}"$.
- Take one (1) $1\frac{1}{2}"$ x WOF strip from fabric **J** and cut two (2) $15" \times 1\frac{1}{2}"$ strips and one (1) $9" \times 1\frac{1}{2}"$ strip.




DIAGRAM 19

- Take one (1) $15" \times 1\frac{1}{2}"$ strip from fabric **E** and two (2) $15" \times 1\frac{1}{2}"$ strips from fabric **J** and join them in the following order: **J-E-J**.



DIAGRAM 20

- Cut ten (10) strips of $1\frac{1}{2}"$ width following the diagram below.




DIAGRAM 21

- Take two (2) $9" \times 1\frac{1}{2}"$ strips from fabric **E** and one (1) $9" \times 1\frac{1}{2}"$ strip from fabric **J** and join them in the following order: **E-J-E**.



DIAGRAM 22

- Cut five (5) strips of $1\frac{1}{2}$ " width following the diagram below.




DIAGRAM 23

- Take two (2) **JEJ** strips and one (1) **EJE** strip and join them following the diagram below.
- Repeat four (4) more times in order to have a total of five (5) Block 4.




DIAGRAM 24

Block 5 construction:

- Take one (1) $1\frac{1}{2}$ " x WOF strip from fabric **F** and subcut it into three strips: one (1) measuring 19 " x $1\frac{1}{2}$ ", and two (2) measuring 10 " x $1\frac{1}{2}$ ".
- Take two (2) $1\frac{1}{2}$ " x WOF strips from fabric **J** and cut two (2) 19 " x $1\frac{1}{2}$ " strips and one (1) 10 " x $1\frac{1}{2}$ " strip.




DIAGRAM 25

- Take one (1) 19 " x $1\frac{1}{2}$ " strip from fabric **F** and two (2) 19 " x $1\frac{1}{2}$ " strips from fabric **J** and join them in the following order: **J-F-J**.



DIAGRAM 26

- Cut twelve (12) strips of $1\frac{1}{2}$ " width following the diagram below.




DIAGRAM 27

- Take two (2) 10 " x $1\frac{1}{2}$ " strips from fabric **F** and one (1) 10 " x $1\frac{1}{2}$ " strip from fabric **J** and join them in the following order: **F-J-F**.




DIAGRAM 28

- Cut six (6) strips of $1\frac{1}{2}$ " width following the diagram below.




DIAGRAM 29

- Take two (2) **JFJ** strips and one (1) **FJJ** strip and join them following the diagram below.
- Repeat five (5) more times in order to have a total of six (6) Block 5.




DIAGRAM 30

Block 6 construction:

- Take two (2) $1\frac{1}{2}$ " x WOF strips from fabric **G** and subcut it into three strips: one (1) measuring 28 " x $1\frac{1}{2}$ ", and two (2) measuring 15 " x $1\frac{1}{2}$ ".
- Take three (3) $1\frac{1}{2}$ " x WOF strips from fabric **J** and cut two (2) 28 " x $1\frac{1}{2}$ " strips and one (1) 15 " x $1\frac{1}{2}$ " strip.




DIAGRAM 31

- Take one (1) 28 " x $1\frac{1}{2}$ " strip from fabric **G** and two (2) 28 " x $1\frac{1}{2}$ " strips from fabric **J** and join them in the following order: **J-G-J**.




DIAGRAM 32

- Cut eighteen (18) strips of $1\frac{1}{2}$ " width following the diagram below.



DIAGRAM 33

- Take two (2) 15 " x $1\frac{1}{2}$ " strips from fabric **G** and one (1) 15 " x $1\frac{1}{2}$ " strip from fabric **J** and join them in the following order: **G-J-G**.




DIAGRAM 34

- Cut nine (9) strips of $1\frac{1}{2}$ " width following the diagram below.



DIAGRAM 35

- Take two (2) **JGJ** strips and one (1) **GJG** strip and join them following the diagram below.
- Repeat eight (8) more times in order to have a total of nine (9) Block 6.




DIAGRAM 36

Block 7 construction:

- Take one (1) $1\frac{1}{2}$ " x WOF strip from fabric **H** and subcut it into three strips: one (1) measuring 5 " x $1\frac{1}{2}$ ", and two (2) measuring 4 " x $1\frac{1}{2}$ ".
- Take one (1) $1\frac{1}{2}$ " x WOF strip from fabric **J** and cut two (2) 5 " x $1\frac{1}{2}$ " strips and one (1) 4 " x $1\frac{1}{2}$ " strip.




DIAGRAM 37

- Take one (1) 5 " x $1\frac{1}{2}$ " strip from fabric **H** and two (2) 5 " x $1\frac{1}{2}$ " strips from fabric **J** and join them in the following order: **J-H-J**.




DIAGRAM 38

- Cut two (2) strips of $1\frac{1}{2}$ " width following the diagram below.




DIAGRAM 39

- Take two (2) 4 " x $1\frac{1}{2}$ " strips from fabric **H** and one (1) 4 " x $1\frac{1}{2}$ " strip from fabric **J** and join them in the following order: **H-J-H**.




DIAGRAM 40

- Cut one (1) strips of $1\frac{1}{2}$ " width following the diagram below.




DIAGRAM 41

- Take two (2) **JHJ** strips and one (1) **HJH** strip and join them following the diagram below to get Block 7.




DIAGRAM 42

- Make sure all of your blocks measure $3\frac{1}{2}$ " x $3\frac{1}{2}$ ".
- Set them aside and follow the next instruction.

Magic 8 Half Square Triangle Method:

- Place one (1) 8" square from fabrics **I** and **J** right sides facing together.
- Draw a line diagonally from corner to corner using a mechanical pencil or frixion pen.




DIAGRAM 43

- Stitch at $\frac{1}{4}$ " scant seam on each side of the drawn lines.




DIAGRAM 44

- Cut the squares vertically and horizontally.




DIAGRAM 45

- Cut the squares diagonally from corner to corner.




DIAGRAM 46

- Trim each HST to $3\frac{1}{2}$ " square. You will have a total of (8) HST




DIAGRAM 47

- Repeat the same process three (3) more times to have a total of thirty two (32) **J** hst's.




DIAGRAM 48

- Gather your blocks and your HST's and follow the diagram below for each row assembly.




DIAGRAM 49

- Sew rows 1-12.




DIAGRAM 50

- Take one (1) 3" x WOF strip from fabric **A** and subcut two (2) 18½" x 3" rectangles.



DIAGRAM 51

- Take two (2) 18½" x 3" rectangle from fabric **A** and join one (1) rectangle on the top and one (1) on the bottom of the assembled piece.




DIAGRAM 52

- Take two (2) 3" x WOF strips from fabric **A**, subcut them into two (2) 3" x 41½" strips, joining one (1) rectangle on the left side and one (1) on the right side of the assembled piece.




DIAGRAM 53

- Take batting and your backing fabric and quilt as desired.
- Finish your table runner by binding it following the instructions on the next page.

QUILT ASSEMBLY

Sew rights sides together.


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut enough strips $1\frac{1}{2}$ " wide by the width of the fabric **E** to make a final strip 141" long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with $\frac{1}{4}$ " seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching $\frac{1}{4}$ " before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at $\frac{1}{4}$ " of the border, stitching all the layers. Do the same in the four corners of the quilt.

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to $\frac{1}{4}$ " and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

*Congratulations
& enjoy*

XXXXXXXXXXXXXXXXXXXXXXXXXXXX



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2022 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.