SCENIC Vista





QUILT DESIGNED BY AGEstudio



FABRICS DESIGNED BY KATIE O'SHEA





Fabric A COH18900 WILD WOODBLOCK NIGHT



Fabric B COH18906 TORN HILLS DUSK



Fabric c PE-523 LATTE



Fabric D PE-444 PEACH SHERBET



Fabric E PE-513 GINGERBREAD




Fabric F COH18907 HILLSIDE JOURNEY




Fabric G COH28901 STARRY WHISPERS MIST



Fabric H COH28904 BEETLE PARADE MOON



Fabric I COH28906 TORN HILLS DAWN



Fabric J PE-436 CREME DE LA CREME



Fabric K COH18904 BEETLE PARADE SUN



Fabric L COH18901 STARRY WHISPERS GILT



Fabric M PE-509 GEORGIA PEACH



Fabric N PE-457 DRIED CARROT



Fabric P (BINDING) BINCOH18 WILDERNESS BOUND



Fabric o PE-514 SUMMER SUN



Backing F18910 COYOTE HILL HERO





FINISHED SIZE | 60" × 64"

FABRIC REQUIREMENTS

Fabric A	COH18900	1yd
Fabric B	COH18906	½yd
Fabric C	PE-523	¹⁄₄yd
Fabric D	PE-444	½yd
Fabric E	PE-513	¹⁄₄yd
Fabric F	COH18907	½yd
Fabric G	COH28901	½yd
Fabric H	COH28904	⁵⁄syd
Fabric I	COH28906	¹⁄₄yd
Fabric J	PE-436	¹⁄₄yd
Fabric K	COH18904	½yd
Fabric L	COH18901	½yd
Fabric M	PE-509	1yd
Fabric N	PE-457	¹⁄₄yd
Fabric O	PE-514	¹⁄₄yd
Fabric P	BINCOH18	³ ⁄ ₄ yd.

BACKING FABRIC

F18910 4 yds (Suggested)

BINDING FABRIC

Fabric P BINCOH18 (Included)

CUTTING DIRECTIONS

1/4" seam allowances are included. WOF means width of the fabric.

Fabric A

- Two (2) 30½" x 4½" strips.
- Three (3) 12½" x 6½" rectangles.
- Ten (10) 61/8" square.

Fabric B.

- Five (5) 6%" squares.
- Twelve (12) 3%" squares.
- Fifteen (15) 3½" squares.

Fabric C

- Six (6) 37%" squares.
- Ten (10) 3½" squares.

Fabric D

• Nine (9) 31/8" squares.

Fabric E

- One (1) 61/8" square.
- Six (6) 3%" squares.
- Ten (10) 3½" squares.

Fabric F

- Ten (10) 67/8" squares.
- One (1) 6½" square.
- Two (2) 31/8" squares.
- One (1) 3½" square.

Fabric G

• Eleven (11) 67%" squares.

Fabric H

- Four (4) 61/2" x 31/2" rectangles.
- Five (5) 61/8" squares.
- Ten (10) 3⁷/₈" squares.
- Ten (10) 3½" squares.

Fabric I

- Nine (9) 3½" squares.
- Eleven (11) 3½" squares.

Fabric J

- Seven (7) 3⁷/₈" squares.
- Nine (9) 3½" squares.

Fabric K

- One (1) $6\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle.
- Three (3) 6%" squares.
- Fifteen (15) 3½" square.
- Eight (8) 31/8" squares.

Fabric L

- Eight (8) 6%" squares.
- One (1) 3½" square.

Fabric M

- Two (2) 6½" x 3½" rectangles.
- Four (4) $12\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangles.
- One (1) 15½" x 3½" rectangle.
- Two (2) 181/2" x 31/2" rectangles.
- One (1) 21½" x 3½" rectangle.
- Three (3) templates 1.
- Three (3) 67/8" squares.
- Eight (8) 3%" squares .
- Fifteen (15) 3½" squares .

Fabric N

- Seven (7) 3\%" squares.
- Five (5) 3½" squares.

Fabric O

- Three (3) template 2.
- One (1) 61/8" square.

Fabric P (BINDING)


• Eight (8) 2½" x WOF strips.

CONSTRUCTION

Sew all right sides together with 1/4" seam allowance.

Half Square Triangle (HST) Construction

- Start by placing one (1) 3⁷/₈" square from fabrics
 B and C right sides facing each other.
- Mark a diagonal line on the wrong side of the top fabric square. (Fig1)
- Sew a scant 1/4" seam on each side of the diagonal line.
- Press the sewn square to set the seams and with a rotary cutter cut through the drawn line. (Fig 2)
- Open each half square triangle (HST) outward and lightly press. Be careful to only press up and down, NOT back and forth so as not to stretch them. Your seams should be pressed (both layers) towards the darker color.
- Trim each half square triangle (HST) to a 3½" square.



B: 11 **C**: 6 **D**: 9 **E**: 6 **F**: 2 **H**: 10 **I**: 9 **J**: 7 **K**: 8 **L**: 1 **M**: 8 **N**: 7

 Following the half square triangle (HST) instruction, assemble the following fabric pieces:




DIAGRAM 2

- Repeat the same half square triangle (HST) construction taking two 6%" squares and place them right sides facing each other.
- Draw a line diagonally corner to corner using a mechanical pencil or frixion pen.
- Stitch at SCANT 1/4" from each side of the drawn line.
- Cut along the marked diagonal line.
- Press open and trim to a 6½" square.
- Take the following amount of 6%" squares from the following fabrics in order to construct the half square triangles HSTs:




DIAGRAM 3

 Take the remaining 6%" squares from fabrics A,B, F, G, H, K, L, M and cut on the diagonal following the diagram below.




DIAGRAM 4


Block 1 Construction

 Take one (1) 3½" square from fabric B and two (2) 3½" squares from fabric C and join them following the diagram below.



DIAGRAM 5

- Now, take one (1) fabric A triangle and place it on top of your assembled C-B-C unit, right sides together.
- Sew at a 1/4".
- Press open and trim excess fabric. The block should measure 6½".



Block 2 Construction

 Take one (1) 3½" square from fabric B and two (2) 3½" squares from fabric C and join them following the diagram below.



DIAGRAM 7

 Now, take one (1) fabric A triangle and place it on top of your assembled C-B-C unit, right sides together.




DIAGRAM 8

Block 3 Construction

Take two (2) 3½" squares from fabric B and one (1) 3½" square from fabric C and join them following the diagram below.



DIAGRAM 9

- Now, take one (1) fabric A triangle and place it on top of your assembled C-B-B unit, right sides together.
- Make a total of two (2) Block 3.




DIAGRAM 10

Block 4 Construction

Take two (2) 3½" squares from fabric B and one (1) 3½" B-C half square triangle (HST) and join them following the diagram below.



DIAGRAM 11

- Now, take one (1) fabric A triangle and place it on top of your assembled B-B-BC unit, right sides together.
- Make a total of two (2) Block 4.




DIAGRAM 12


Block 5 Construction

• Take two (2) 3½" squares from fabric **B** and one (1) 3½" **B-C** half square triangle (HST) and join them following the diagram below.



DIAGRAM 13

 Now, take one (1) fabric A triangle and place it on top of your assembled B-BC-B unit, right sides together.



Block 6 Construction

DIAGRAM 14

• Take one (1) 3½" square from fabric **E** and **F** and one (1) 3½" **E-F** half square triangle (HST) and join them following the diagram below.



• Now, take one (1) fabric B triangle and place it on top of your assembled E-EF-F unit, right sides together.




DIAGRAM 16

Block 7 Construction

 Take two (2) 3½" squares from fabric E and one (1) 3 ½" D-E half square triangle (HST) and join them following the diagram below.



DIAGRAM 17

- Now, take one (1) fabric F triangle and place it on top of your assembled E-DE- unit, right sides together.
- Make a total of two (2) Block 7.




DIAGRAM 18

Block 8 Construction

• Take two (2) 31/2" squares from fabric E and one (1) 3½" D-E half square triangle (HST) and join them following the diagram below.



DIAGRAM 19

• Now, take one (1) fabric F triangle and place it on top of your assembled **E-DE-E** unit, right sides together.

• Make a total of two (2) Block 8.




DIAGRAM 20

Block 9 Construction

• Take two (2) 3½" squares from fabric I and one (1) 31/2" H-I half square triangle (HST) and join them following the diagram below.



DIAGRAM 21

• Now, take one (1) fabric F triangle and place it on top of your assembled I-HI-I unit, right sides together.




DIAGRAM 22

Block 10 Construction

• Take one (1) 3½" square from fabrics H and I and one (1) 31/2" H-I half square triangle (HST) and join them following the diagram below.



DIAGRAM 23

 Now, take one (1) fabric G triangle and place it on top of your assembled I-HI-H unit, right sides together.




DIAGRAM 24

Block 11 Construction

Take one (1) 3½" square from fabrics H and I and one (1) 3½" H-I half square triangle (HST) and join them following the diagram below.



DIAGRAM 25

- Now, take one (1) fabric G triangle and place it on top of your assembled I-HI-H unit, right sides together.
- Make a total of two (2) Block 11.




DIAGRAM 27


Block 12 Construction

• Take two (2) 3½" squares from fabric I and one (1) 3½" H-I half square triangle (HST) and join them following the diagram below.



DIAGRAM 26

 Now, take one (1) fabric G triangle and place it on top of your assembled I-HI-I unit, right sides together.



Block 13 Construction

 Take two (2) 3½" squares from fabric H and one (1) 3½" square from fabric I and join them following the diagram below.



 Now, take one (1) fabric G triangle and place it on top of your assembled H-H-I unit, right sides together.




DIAGRAM 30

Block 14 Construction

Take one (1) 3½" square from fabrics B and
 C and one (1) B-C half square triangle (HST) and join them following the diagram below.



- Now, take one (1) fabric G triangle and place it on top of your assembled B-BC-C unit, right sides together.
- Make a total of two (2) Block 14.




DIAGRAM 32

Block 15 Construction

 Take one (1) 3½" square from fabric J and two (2) 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 33

 Now, take one (1) fabric H triangle and place it on top of your assembled J-K-K unit, right sides together.




DIAGRAM 34

Block 16 Construction

 Take one (1) 3½" square from fabric J and two (2) 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 35

 Now, take one (1) fabric H triangle and place it on top of your assembled J-K-K unit, right sides together.




DIAGRAM 36

Block 17 Construction

Take one (1) 3½" square from fabrics H and I and one (1) H-I hst and join them following the diagram below.



DIAGRAM 37

 Now, take one (1) fabric K triangle and place it on top of your assembled H-HI-I unit, right sides together




DIAGRAM 38

Block 18 Construction

 Take one (1) 3½" square from fabric J and two (2) 3½" squares from fabric K join them following the diagram below.



- Now, take one (1) fabric L triangle and place it on top of your assembled J-K-K unit, right sides together.
- Repeat this same block one more time, having a total of 2 Block 18.




DIAGRAM 40

Block 19 Construction

 Take one (1) 3½" square from fabric J and two (2) 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 41

 Now, take one (1) fabric L triangle and place it on top of your assembled J-K-K unit, right sides together.




DIAGRAM 42

Block 20 Construction

 Take one (1) 3½" square from fabrics J and K and one (1) 3½" J-K hst and join them following the diagram below.




DIAGRAM 43

 Now, take one (1) fabric L triangle and place it on top of your assembled J-JK-K unit, right sides together.





DIAGRAM 44

Block 21 Construction

 Take two (2) 3½" squares from fabric M and one (1) 3½" square from fabric N and join them following the diagram below.



 Now, take one (1) fabric L triangle and place it on top of your assembled M-M-N unit, right sides together.




DIAGRAM 46

Block 22 Construction

 Take two (2) 3½" squares from fabric M and one (1) 3½" square from fabric N and join them following the diagram below.



DIAGRAM 47

 Now, take one (1) fabric L triangle and place it on top of your assembled M-N-M unit, right sides together.




DIAGRAM 48

Block 23 Construction

Take two (2) 3½" squares from fabric M and one (1) 3½" square from fabric N and join them following the diagram below.




DIAGRAM 49

 Now, take one (1) fabric L triangle and place it on top of your assembled M-M-N unit, right sides together.




DIAGRAM 50

Block 24 Construction

 Take one (1) 3½" square from fabric J and two (2) 3½" squares from fabric K and join them following the diagram below.



DIAGRAM 51

Now take one (1) fabric M triangle and place

 Now, take one (1) fabric M triangle and place it on top of your assembled J-K-K unit, right sides together.





DIAGRAM 52

 Now, join template 1 and 2 from fabrics M and O, following the diagram below.





ROWS ASSEMBLY

Sew rights sides together.

Row 1

• Join the following pieces for Row 1.




DIAGRAM 54

Row 2

• Join the following pieces for Row 2.



Row 3 DIAGRAM 55

• Join the following pieces to make Set 1 and Set 2





DIAGRAM 56

• Join the following sets to make Row3.



Row 4

• Join the following pieces to make Set 3 and Set 4.






DIAGRAM 58

Sew the following sets to make Row 4




Row 5

• Join the following pieces to make Set 5.




 ${\rm DIAGRAM~60}$

• Sew the following sets to make Row 5




Row 6

• Join the following pieces to make Set 6.




• Sew the following sets to make Row 6

 ${\rm DIAGRAM~62}$



Row 7 DIAGRAM 63

• Join the following pieces to make Set 7.



• Sew the following sets to make Row 7

DIAGRAM 64





DIAGRAM 65

Row 8

• Join the following pieces for Row 8.



Row 9

• Join the following pieces to make Set 8.





DIAGRAM 67

• Sew the following sets to make Row 9



Row 10 DIAGRAM 68

• Join the following pieces to make Set 9 and Set 10.





DIAGRAM 69

• Sew the following sets to make Row 10



Row 11

• Join the following pieces for Row 11.

A A-B Block 3 A Block 3 A 12 ½" x 6 ½" 12 ½" x 6 ½" 12 ½" x 6 ½"

DIAGRAM 71

DIAGRAM 70

ROW 11



Row **12**

• Join the following pieces for Row 12.





DIAGRAM 72

QUILT TOP ASSEMBLY

• To assemble your quilt top, join rows 1-12.



QUILT ASSEMBLY

Sew rights sides together.

- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- · After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING


Sew rights sides together.

- Cut enough strips 2½" wide by the width of the fabric P to make a final strip 258" long and fold the strip length-wise. Start sewing the binding strip in the middle of one side of the quilt leaving an approximated 5" tail. Sew with 1/4" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching 1/4" before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at 1/4" of the border, stitching all the layers. Do the same in the four corners of the quilt.

Stop stitching before you reach the last 5 or 6

- inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to 1/4" and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.
- If you are using our 2.5 edition (binding fabric), click or scan this QR code to see a tutorial on how to use this specialty fabric.





××*×/**×*×*×/****××/*/****××/*/*

Congratulations & enjoy



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2024 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

TEMPLATES

