



COMPUTER & IPAD CASE - ROCKET SCIENCE EDITION

FINISHED SIZE | 10" x 14" - 7" x 13"

FABRIC REQUIREMENTS

Fabric A	RKS-95412	$\frac{5}{8}$ yd.
Fabric B	RKS-95401	$\frac{5}{8}$ yd.
Fabric C	RKS-95404	$\frac{3}{8}$ yd.
Fabric D	RKS-95410	FQ yd.
Fabric E	RKS-95407	FQ yd.

Additional Materials
Velcro Strips $\frac{3}{4}$ " width

CUTTING DIRECTIONS

$\frac{1}{4}$ " seam allowances are included.
WOF means width of the fabric.

- Two (2) $3\frac{1}{2}$ " x $20\frac{1}{2}$ " rectangles from fabric **A**.
- Two (2) $3\frac{1}{2}$ " x $14\frac{1}{2}$ " rectangles from fabric **A**.
- Thirty four (34) $2\frac{1}{2}$ " squares from fabric **A**.
- Seventeen (17) $4\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangles from fabric **B**.
- One (1) $10\frac{1}{2}$ " x $14\frac{1}{2}$ " rectangle from fabric **C**.
- One (1) $10\frac{1}{2}$ " x $20\frac{1}{2}$ " rectangle from fabric **C**.
- One (1) $7\frac{1}{2}$ " x $13\frac{1}{2}$ " rectangle from fabrics **D** and **E**.
- One (1) $7\frac{1}{2}$ " x 9" rectangle from fabrics **D** and **E**.

CONSTRUCTION

Sew all rights sides together with $\frac{1}{4}$ " seam allowance.

Flying Geese

- Place a $2\frac{1}{2}$ " square from fabric **A** on the right side edge of fabric **B** mark a diagonal line and sew through the line.
- trim $\frac{1}{4}$ " away from the seam and press.
- Place another $2\frac{1}{2}$ " square from fabric **A** on the left side edge.
- Mark a diagonal line and sew through the line,
- trim $\frac{1}{4}$ " inch away from the seam and press.
- Make a total of seventeen (17) **ABA** flying geese.




DIAGRAM 1

- Take seven (7) **ABA** flying geese combination and sew them as shown on the diagram below. Pay attention to the direction of the flying geese.




DIAGRAM 2

- Join one (1) $3\frac{1}{2}'' \times 14\frac{1}{2}''$ from fabric **A** on each side of the previously sewn piece.




DIAGRAM 3

- Take ten (10) **ABA** flying geese combination and sew them as shown on the diagram below.
- Pay attention to the direction of the flying geese.




DIAGRAM 4

- Join one (1) $3\frac{1}{2}'' \times 20\frac{1}{2}''$ from fabric **A** on each side of the previously sewn piece.




DIAGRAM 5

- Place the template 1 located at the end of the document and place it on the top edge of the $10\frac{1}{2}'' \times 20\frac{1}{2}''$ block and trim the top corners following the curves of the template 1.
- Repeat this step with one (1) $7\frac{1}{2}'' \times 13\frac{1}{2}''$ rectangle from fabrics **D** if you decide to make the ipad case and follow the rest of the steps for the construction by using template 2.




DIAGRAM 6

