


day night

SOAR EDITION

QUILT DESIGNED BY *AGFstudio*

SOAR

FABRICS DESIGNED BY KATARINA ROCCELA



Fabric A
SOA-97504
SKYE SAKURA BLOSSOM




Fabric B
SOA-87506
WINGSPAN PETALS




Fabric C
SOA-97500
DANCING CRANES MINERAL



Fabric D
SDL-20121
SEEDS REDWOOD




Fabric E
SDL-20120
SEEDS GOLDEN



Fabric F
SDL-20105
SEEDS HUCKLEBERRY



Fabric G
SDL-20119
SEEDS FOREST



Fabric H (Binding)
SDL-20106
SEEDS LICORICE



Backing
SOA-87510
SOARING GARDEN



SOAR EDITION

FINISHED SIZE | 64½" x 64½"

FABRIC REQUIREMENTS

Fabric A	SOA-97504	1 yd.
Fabric B	SOA-87506	1 yd.
Fabric C	SOA-97500	½ yd.
Fabric D	SDL-20121	½ yd.
Fabric E	SDL-20120	1½ yd.
Fabric F	SDL-20105	½ yd.
Fabric G	SDL-20119	1 yd.
Fabric H	SDL-20106	⅝ yd.

BACKING FABRIC
SOA-87510 5 yds *(Suggested)*

BINDING FABRIC
Fabric **H** SDL-20106 *(Included)*

CUTTING DIRECTIONS

*¼" seam allowances are included.
WOF means width of fabric.*

Fabric A

- Cut 8 (eight) 4½" x WOF strips.
-Subcut 8 (eight) 4½" x 32½" strips.

Fabric B

- Cut 8 (eight) 4½" x WOF strips.
-Subcut 8 (eight) 4½" x 32½" strips.

Fabric C

- Cut 3 (three) 4½" x WOF strips.
-Subcut 6 (six) 4½" x 21" strips.

Fabric D

- Cut 3 (three) 4½" x WOF strips.
-Subcut 6 (six) 4½" x 21" strips.

Fabric E

- Cut 3 (three) 4½" x WOF strips.
-Subcut 6 (six) 4½" x 21" strips.
- Cut 1 (one) 32½" x WOF strip.
-Subcut 8 (eight) 32½" x 4½" strips.

Fabric F

- Cut 3 (three) 4½" x WOF strips.
-Subcut 6 (six) 4½" x 21" strips.

Fabric G

- Cut 8 (eight) 4½" x WOF strips.
-Subcut 8 (eight) 4½" x 32½" strips.

Fabric H

- Cut 7 (seven) 2½" x WOF strips. (Binding)

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

- Sew together 4 (four) 4½" x 32½" strips from Fabrics **A** and **E** as shown in the diagram below. Press seams towards Fabric **A**.
- Repeat step to make a total of 2 (two) Strip Sets 1.




DIAGRAM 1

- Sew together 4 (four) 4½" x 32½" strips from Fabrics **G** and **B** as shown in the diagram below. Press seams towards Fabric **B**.
- Repeat step to make a total of 2 (two) Strip Sets 2.




DIAGRAM 2

- Sew together 3 (three) 4½" x 21" strips from Fabrics **D** and **E** as shown in the diagram below. Press seams towards Fabric **D**.
- Repeat step to make a total of 2 (two) Strip Sets 3.




DIAGRAM 3

- Sew together 3 (three) 4½" x 21" strips from Fabrics **C** and **F** as shown in the diagram below. Press seams towards Fabric **C**.
- Repeat step to make a total of 2 (two) Strip Sets 4.




DIAGRAM 4

- From 1 (one) Strip Set 1 (SS1), cut 1 (one) Template A, being careful to keep the strip set vertical (see diagram below).
- Repeat with the remaining SS1, and both SS2, using the diagram below as a guide to print directionality.




DIAGRAM 5

- From 1 (one) SS3, cut 1 (one) Template B, being careful to keep the strip set horizontal (see diagram below).
- Repeat with the remaining SS3, and both SS4, using the diagram below as a guide to print directionality.




DIAGRAM 6

- Sew the Template A Strip Sets to the Template B Strip Sets, using the diagram below as a guide. Press.




DIAGRAM 7

- Sew the 4 (four) sections together, as shown in the diagram below.
- **Tip:** Press the seam from the bottom sections in the opposite direction as the seam from the top sections. This will help to nest the seams and align the center corners.




DIAGRAM 8

QUILT ASSEMBLY

Sew rights sides together.


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finish, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut enough strips $2\frac{1}{2}$ " wide by the width of the Fabric **H** to make a final strip 268" long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with $\frac{1}{4}$ " seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching $\frac{1}{4}$ " before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at $\frac{1}{4}$ " of the border, stitching all the layers. Do the same in the four corners of the quilt.

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to $\frac{1}{4}$ " and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.
- If you are using our 2.5 edition (binding fabric), click or scan this QR code to see a tutorial on how to use this specialty fabric.





Template a 1






Template a 4





Template a 8





Template a 9



Template b 1



Template b 4





Template a 14



Template b 6



