



SUN GLOW

GULF BREEZE EDITION

QUILT DESIGNED BY *AGFstudio*

Gulf Breeze

FABRICS DESIGNED BY BECCA PLYMALE



Fabric A
GBR-31504
SANDY STROLLS



Fabric B
GBR-31508
SEAWEED GARDEN



Fabric C
GBR-31511
FLAMINGO PARADISE



Fabric D
PE-408
WHITE LINEN




Fabric E
GBR-31510
SAND DUNE TREASURES



Fabric F
GBR-31501
PALM BREEZE



Fabric G
PE-540
COCONUT MILK



Fabric H (Binding)
GBR-31502
CORAL COASTLINE



Backing
GBR-31503
TROPICAL BLOOM



SUN GLOW

GULF BREEZE EDITION

FINISHED SIZE | 97½" x 97½"

FABRIC REQUIREMENTS

| | | |
|-----------------|-----------|--------|
| Fabric A | GBR-31504 | 1⅜ yd. |
| Fabric B | GBR-31508 | ⅞ yd. |
| Fabric C | GBR-31511 | 1⅞ yd. |
| Fabric D | PE-408 | 1⅝ yd. |
| Fabric E | GBR-31510 | 1⅛ yd. |
| Fabric F | GBR-31501 | 2⅛ yd. |
| Fabric G | PE-540 | 1 yd. |
| Fabric H | GBR-31502 | ¾ yd. |

BACKING FABRIC

GBR-31503 9 yds (Suggested)
(10 yds for pattern matching)

BINDING FABRIC

Fabric **H** GBR-31502 ¾ yd. (Included)

CUTTING DIRECTIONS

Please ensure that all fabrics are ironed thoroughly before cutting them. ¼" seam allowances are included. WOF means width of the fabric.

Fabric A

- Cut 4 (four) 9" x WOF strips.
-Subcut 40 (forty) Template 1.
- Cut 1 (one) 10½" x WOF strip.
-Subcut 4 (four) 10½" squares.

Fabric B

- Cut 2 (two) 9" x WOF strips.
-Subcut 16 (sixteen) Template 1.
- Cut 1 (one) 10½" x WOF strip.
-Subcut 4 (four) 10½" squares.

Fabric C

- Cut 5 (five) 9" x WOF strips.
-Subcut 44 (forty-four) Template 1.
- Cut 1 (one) 17¼" x WOF strip.
-Subcut 4 (four) Template 2.

Fabric D

- Cut 6 (six) 9" x WOF strips.
-Subcut 60 (sixty) Template 1.

Fabric E

- Cut 4 (four) 9" x WOF strips.
-Subcut 36 (thirty-six) Template 1.

Fabric F

- Cut 8 (eight) 9" x WOF strips.
-Subcut 76 (seventy-six) Template 1.

Fabric G

- Cut 3 (three) 10½" x WOF strip.
-Subcut 10 (ten) 10½" squares.

Fabric H

- Cut 10 (ten) 2½" x WOF strips. (Binding)
- Arrange and cut your templates as shown in the diagram below to maximize the use of your fabric.




DIAGRAM 1

CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

Block Construction:

- Sew together 2 (two) Templates 1 from Fabric **D** and 1 (one) Template 1 from Fabric **A**, as shown below. Be sure to align the top and bottom edges of the triangles at the seam allowance, NOT the edge of the fabric (Tip: repeat this technique for all the triangle seams).

- Press.




DIAGRAM 2

- Sew 1 (one) Template 1 from Fabric **A** to the top of the pieced unit (shown below). Press.
- Repeat these steps 3 (three) more times for a total of 4 (four) Blocks 1.




DIAGRAM 3

- Repeat Block Construction steps with the remaining Templates 1, using the diagram below as a fabric placement guide.




DIAGRAM 4

