




# Blossom Burst

QUILT DESIGNED BY *AGFstudio*

## The ORCHARD


FABRICS DESIGNED BY MAUREEN CRACKNELL



**Fabric A**  
ORC-34711  
FOLK FLOWER HARMONY




**Fabric B**  
ORC-34703  
EVENWEAVE



**Fabric C**  
ORC-34704  
BRAMBLE BLOSSOMS




**Fabric D**  
FE-550  
SWEET PEACH



**Fabric E**  
ORC-34702  
RUSTIC ROOTS



**Fabric F**  
ORC-34712  
ACRES WILD



**Fabric G**  
PE-540  
COCONUT MILK



**Fabric H (Binding)**  
FE-551  
VICTORIAN BRICK



**Backing**  
ORC-34700  
APPLE GROVE

# Blossom Burst

FINISHED SIZE | 97½" x 97½"

## FABRIC REQUIREMENTS

Fabric <b>A</b>	ORC-34711	1⅜ yd.
Fabric <b>B</b>	ORC-34703	⅞ yd.
Fabric <b>C</b>	ORC-34704	1⅞ yd.
Fabric <b>D</b>	FE-550	1⅝ yd.
Fabric <b>E</b>	ORC-34702	1⅞ yd.
Fabric <b>F</b>	ORC-34712	2⅞ yd.
Fabric <b>G</b>	PE-540	1 yd.
Fabric <b>H</b>	FE-551	¾ yd.

### BACKING FABRIC

ORC-34700 9 yds *(Suggested)*

### BINDING FABRIC

Fabric **H** FE-551 ¾ yd. *(Included)*

## CUTTING DIRECTIONS

¼" seam allowances are included.  
WOF means width of fabric.

### Fabric A

- Cut 4 (four) 9" x WOF strips.  
-Subcut 40 (forty) Template 1.
- Cut 1 (one) 10½" x WOF strip.  
-Subcut 4 (four) 10½" squares.

### Fabric B

- Cut 2 (two) 9" x WOF strips.  
-Subcut 16 (sixteen) Template 1.
- Cut 1 (one) 10½" x WOF strip.  
-Subcut 4 (four) 10½" squares.

### Fabric C

- Cut 5 (five) 9" x WOF strips.  
-Subcut 44 (forty-four) Template 1.
- Cut 1 (one) 17¼" x WOF strip.  
-Subcut 4 (four) Template 2.

### Fabric D

- Cut 6 (six) 9" x WOF strips.  
-Subcut 60 (sixty) Template 1.

### Fabric E

- Cut 4 (four) 9" x WOF strips.  
-Subcut 36 (thirty-six) Template 1.

### Fabric F

- Cut 8 (eight) 9" x WOF strips.  
-Subcut 76 (seventy-six) Template 1.

### Fabric G

- Cut 3 (three) 10½" x WOF strip.  
-Subcut 10 (ten) 10½" squares.

### Fabric H

- Cut 10 (ten) 2½" x WOF strips. (Binding)
- Arrange and cut your templates as shown in the diagram below to maximize the use of your fabric.




DIAGRAM 1

# CONSTRUCTION

*Sew all rights sides together with 1/4" seam allowance.*

## Block Construction:

- Sew together 2 (two) Templates 1 from Fabric **D** and 1 (one) Template 1 from Fabric **A**, as shown below. Be sure to align the top and bottom edges of the triangles at the seam allowance, NOT the edge of the fabric (Tip: repeat this technique for all the triangle seams).

- Press.




DIAGRAM 2

- Sew 1 (one) Template 1 from Fabric **A** to the top of the pieced unit (shown below). Press.
- Repeat these steps 3 (three) more times for a total of 4 (four) Blocks 1.




DIAGRAM 3

- Repeat Block Construction steps with the remaining Templates 1, using the diagram below as a fabric placement guide.




DIAGRAM 4





- Trim excess from HSTs. Unit 2 should measure 33" square.
- Repeat Unit 2 construction steps 3 (three) more times for a total of 4 (four) Units 2.




DIAGRAM 13

**Unit 3 Construction:**

- Repeat Unit 1 steps using 1 (one) Block 10, 2 (two) Block 11, 1 (one) Block 12, 1 (one) Block 13, 1 (one) Block 14, 1 (one) Block 15, and 1 (one) Template 2 from Fabric F, using the diagram below as a guide for placement.
- Press seams open to avoid bulk at the center.




DIAGRAM 14

- Cut the 5 (five) 10½" squares from the Fabric A in half diagonally to create 10 (ten) half-square triangles (HST).




DIAGRAM 15

- Sew 2 (two) Fabric A HST and 2 (two) Fabric G HSTs to the center unit (the HSTs will be a little bit bigger than the block). Set the remaining HSTs aside for later.
- Press.




DIAGRAM 16

- Trim excess from HSTs. Unit 3 should measure 33" square.
- Repeat Unit 3 construction steps 3 (three) more times for a total of 4 (four) Units 3.



DIAGRAM 17

















