

Fabric I

- Cut 1 (one) 1" x WOF strip.
-Subcut 1 (one) 1" x 18" strip.

Fabric J

- Cut 1 (one) 1" x WOF strip.
-Subcut 1 (one) 1" x 18" strip.


Fabric K

- Cut 1 (one) 1" x WOF strip.
-Subcut 1 (one) 1" x 18" strip.

CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.


- Sew together 1 (one) 1" x 18" strip from Fabric B, C, D, E, and F, and 4 (four) 1½" x 18" strips from Fabric A, with a scant ¼" seam, using the diagram below as a guide. Press seams.



Pieced Unit 1

DIAGRAM 1

- Sew together 1 (one) 1" x 18" strip from Fabric A, H, I, J, and K, and 4 (four) 1½" x 18" strips from Fabric G, with a scant ¼" seam, using the diagram below as a guide. Press seams.



Pieced Unit 2

DIAGRAM 2

- Cut 2 (two) Triangle Templates from Pieced Unit 1, with the wide base of the triangle on Fabric B, as shown in the diagram below.



DIAGRAM 3

- Cut 2 (two) Triangle Templates from Pieced Unit 2, with the wide base of the triangle on Fabric A, as shown in the diagram below.





DIAGRAM 4



Hexagon Template

